

Comparison tables: BBOB 2009 function testbed in 20-D

The BBOBies

November 20, 2009

Abstract

This document provides tabular results of the workshop for Black-Box Optimization Benchmarking at GECCO 2009, see <http://coco.gforge.inria.fr/doku.php?id=bbob-2009>. More than 30 algorithms have been tested on 24 benchmark functions in dimensions between 2 and 40. A description of the used objective functions can be found in [14, 9]. The experimental set-up is described in [13].

The performance measure provided in the following tables is the expected number of objective function evaluations to reach a given target function value (ERT, expected running time), divided by the respective value for the best algorithm. Consequently, the best (smallest) value is 1 and the value 1 appears in each column at least once. See [13] for details on how ERT is obtained. All numbers are computed with no more than two digits of precision.

Table 1: 20-D, running time excess ERT/ERT_{best} on f_1 , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT_{best}/D	0.05	0.28	150	320	520	710	920	1100	1400	1800	ERT_{best}/D
ALPS	1	64	0.28	150	320	520	710	920	1100	1400	1800	ALPS [17]
AMaLGaM IDEA	1	58	55	55	130	200	260	320	390	440	550	AMaLGaM IDEA [4]
avg NEWUOA	1	18	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	avg NEWUOA [31]
BayEDA _{cG}	1	49	110	110	200	310	410	500	610	710	1e3	BayEDA _{cG} [10]
BFGS	1	7.4	1	1	1	1	1	1	1	1	1	BFGS [30]
Cauchy EDA	1	840	730	730	1600	2500	3500	4300	5200	6100	7800	Cauchy EDA [24]
BIPOP-CMA-ES	1	9.2	7.9	7.9	14	20	26	33	39	45	57	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	1	12	5.4	5.4	9.2	13	17	21	25	29	37	(1+1)-CMA-ES [2]
DASA	1	60	26	26	45	66	86	120	150	200	300	DASA [19]
DEPSO	1	31	30	30	81	190	330	560	810	1400	44e-7/2e3	DEPSO [12]
DIRECT	1	8.6	48	48	110	220	360	490	680	870	1400	DIRECT [25]
EDA-PSO	1	19	450	450	1100	1700	2300	2900	3600	4200	5400	EDA-PSO [6]
full NEWUOA	1	41	5.4	5.4	5.4	5.5	5.5	5.5	5.5	5.5	5.5	full NEWUOA [31]
G3-PCX	1	31	8	8	13	18	23	27	32	37	48	G3-PCX [26]
simple GA	1	130	880	880	1900	3200	1.2e4	3.1e4	2e5	6.7e5	74e-5/1e5	simple GA [22]
GLOBAL	1	37	8	8	8	8	8	8	8	8	8	GLOBAL [23]
iAMaLGaM IDEA	1	13	27	27	57	88	120	150	180	210	270	iAMaLGaM IDEA [4]
LSfminbnd	1	43	9.3	9.3	10	10	10	10	10	10	10	LSfminbnd [28]
LSstep	1	850	160	160	170	180	180	180	180	180	180	LSstep [28]
MA-LS-Chain	1	19	21	21	51	78	100	120	140	160	200	MA-LS-Chain [21]
MCS (Neum)	1	1	2.4	2.4	6.4	6.8	7	7	7	7	7	MCS (Neum) [18]
NELDER (Han)	1	9.1	5.2	5.2	12	19	27	32	36	40	49	NELDER (Han) [16]
NELDER (Doe)	1	6.8	3.3	3.3	6.7	11	16	21	27	32	40	NELDER (Doe) [5]
NEWUOA	1	7.5	1	1	1	1	1	1	1	1	1	NEWUOA [31]
(1+1)-ES	1	11	4.9	4.9	8.1	11	15	18	22	25	31	(1+1)-ES [1]
POEMS	1	830	180	180	400	870	1400	1800	2300	2800	3800	POEMS [20]
PSO	1	16	22	22	3400	3400	3500	3600	3600	3700	3800	PSO [7]
PSO-Bounds	1	19	120	120	1500	2100	2800	3300	3800	4500	1.6e4	PSO-Bounds [8]
Monte Carlo	1	170	29e+0/1e6									Monte Carlo [3]
Rosenbrock	1	19	3.8	3.8	5.8	7.2	9.1	11	12	14	17	Rosenbrock [27]
IPOP-SEP-CMA-ES	1	13	7.1	7.1	12	18	23	29	34	39	50	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	1	28	10	10	17	23	29	36	41	48	60	VNS (Garcia) [11]

Table 2: 20-D, running time excess ERT/ERT_{best} on f_2 , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT _{best} /D											ERT _{best} /D
2 Ellipsoid separable												
ALPS	45	66	88	110	140	160	190	220	260	370		ALPS [17]
AMaLGaM IDEA	22	29	35	43	50	56	62	68	76	88		AMaLGaM IDEA [4]
avg NEWUOA	3.5	10	21	43	63	89	120	140	160	200		avg NEWUOA [31]
BayEDAcG	31	42	54	64	76	94	100	34e-5/2e3				BayEDAcG [10]
BFGS	9.1	15	20	24	26	27	27	27	28	28		BFGS [30]
Cauchy EDA	190	310	410	510	610	710	800	900	990	1200		Cauchy EDA [24]
BIPOP-CMA-ES	15	26	35	40	44	45	47	47	48	50		BIPOP-CMA-ES [15]
(1+1)-CMA-ES	14	22	30	37	39	41	41	42	43	44		(1+1)-CMA-ES [2]
DASA	5.6	7.8	10	14	18	23	28	34	39	49		DASA [19]
DEPSO	12	23	42	66	110	500	39e-3/2e3		14e-1/5e3			DEPSO [12]
DIRECT	38	53	130	470	490	510	540	670	740	880		DIRECT [25]
EDA-PSO	200	270	330	400	470	540	600	670	740	880		EDA-PSO [6]
full NEWUOA	23	94	450	3800	47e-1/1e4							full NEWUOA [31]
G3-PCX	15	47	130	210	320	420	550	650	760	990		G3-PCX [26]
simple GA	300	460	3200	6800	7.3e4	29e-1/1e5						simple GA [22]
GLOBAL	8.4	13	18	23	26	30	33	49	51	63		GLOBAL [23]
iAMaLGaM IDEA	11	17	22	27	30	33	36	40	43	49		iAMaLGaM IDEA [4]
LSfminbnd	1	1	1	1	1	1	1	1	1	1		LSfminbnd [28]
LSstep	17	17	17	17	17	17	17	17	17	17		LSstep [28]
MA-LS-Chain	7.6	11	15	19	23	27	32	36	43	76		MA-LS-Chain [21]
MCS (Neum)	1	2.2	5.4	14	21	41	43	45	45	30e-8/4e3		MCS (Neum) [18]
NELDER (Han)	4.3	6	7	7.8	8.6	9.2	9.7	10	11	12		NELDER (Han) [16]
NELDER (Doe)	5.3	8.5	13	17	19	23	28	32	36	48		NELDER (Doe) [5]
NEWUOA	1.9	6.8	18	42	71	92	130	150	170	220		NEWUOA [31]
(1+1)-ES	270	1800	6900	1.6e4	2.6e4	3.8e4	7.4e4	1.8e5	3.7e5	59e-5/1e6		(1+1)-ES [1]
POEMS	150	190	250	300	340	410	450	500	560	660		POEMS [20]
PSO	16	1900	4600	4600	4600	4600	4500	4500	4500	4500		PSO [7]
PSO_Bounds	120	230	360	530	840	1400	1800	2100	2300	2600		PSO_Bounds [8]
Monte Carlo	12e+4/1e6											Monte Carlo [3]
Rosenbrock	1	1.2	1.4	1.6	5.8	18	29	66	73	73		Rosenbrock [27]
IPOP-SEFP-CMA-ES	4.8	6.2	7.5	8.3	9.1	9.7	10	11	11	13		IPOP-SEFP-CMA-ES [29]
VNS (Garcia)	35	57	72	82	88	95	97	98	98	99		VNS (Garcia) [11]

Table 3: 20-D, running time excess ERT/ERT_{best} on f_3 , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT_{best}/D											ERT_{best}/D
ALPS	19	54	12.7	50	190	230	240	270	310	400	3200	ALPS [17]
AMaLGaM IDEA	17	43	1e3	27	40e-1/1e6	AMaLGaM IDEA [4]
avg NEWUOA	88	1e3	73e+0/2e3	97e+0/1e4	avg NEWUOA [31]
BayEDAeG	15	85	28e+1/6e3	73e+0/2e3	BayEDAeG [10]
BFGS	570	28e+1/6e3	450	69e+0/5e4	BFGS [30]
Cauchy EDA	2900	6.7	840	12	40e-1/3e5	Cauchy EDA [24]
BIPOP-CMA-ES	25	37	840	92e+0/1e4	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	37	210	5.9	1	8.3	35	35	35	35	36	36	(1+1)-CMA-ES [2]
DASA	42	130	28	84e+0/2e3	DASA [19]
DEPSO	1	28	150	43e+0/5e3	DEPSO [12]
DIRECT	22	150	650	44	70e-1/1e5	DIRECT [25]
EDA-PSO	22	150	650	44	70e-1/1e5	EDA-PSO [6]
full NEWUOA	180	650	190	88e+0/1e4	full NEWUOA [31]
G3-PCX	24	1.2e4	190	13e+1/5e4	G3-PCX [26]
simple GA	26	190	190	29	3700	21e-1/1e5	simple GA [22]
GLOBAL	19	1400	19	15e+1/2e3	GLOBAL [23]
iAMaLGaM IDEA	24	19	1.3	38	1.8e4	20e-1/1e6	iAMaLGaM IDEA [4]
LSfminbnd	190	1.3	190	19e+0/6e3	LSfminbnd [28]
LSstep	4e3	27	27	1.5	1	1	1	1	1	1	1	LSstep [28]
MA-LS-Chain	20	12	1	7	95	160	160	160	160	160	160	MA-LS-Chain [21]
MCS (Neum)	1	1	1	28	13e+0/4e3	MCS (Neum) [18]
NELDER (Han)	42	260	71	81e+0/1e4	NELDER (Han) [16]
NELDER (Doe)	24	7500	41	47e+0/2e4	NELDER (Doe) [5]
NEWUOA	41	7500	360	13e+1/6e3	NEWUOA [31]
(1+1)-ES	360	2.3e4	43	81e+0/1e6	(1+1)-ES [1]
POEMS	4e3	19	21	9.6	69	140	140	150	150	150	160	POEMS [20]
PSO	19	21	21	21e+0/1e5	PSO [7]
PSO_Bounds	28	330	32	120	190	360	360	360	380	400	430	PSO_Bounds [8]
Monte Carlo	32	26e+1/1e6	560	23e+1/7e3	Monte Carlo [3]
Rosenbrock	560	23e+1/7e3	28	10	60e-1/1e4	Rosenbrock [27]
IPOP-SEP-CMA-ES	28	5.2	8.1	8.3	340	490	520	560	620	630	630	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	20	8.1	8.3	8.3	340	490	520	560	620	630	630	VNS (Garcia) [11]

3 Rastrigin separable

Table 4: 20-D, running time excess ERT/ERT_{best} on f_4 , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
ERT _{best} /D	ERT _{best} /D	37.3	29	150	381	383	384	385	386	388	7050	ERT _{best} /D
ALPS	ALPS	92	29	150	9800	30e-1/2e5						ALPS [17]
AMaLGA _M IDEA	79	20	14e+0/1e6									AMaLGA _M IDEA [4]
avg NEWUOA	110	1400	12e+1/2e4									avg NEWUOA [31]
BayEDA _{cG}	83	40	69e+0/2e3									BayEDA _{cG} [10]
BFGS	1700	40e+1/8e3										BFGS [30]
Cauchy EDA	5100	4300	11e+1/5e4									Cauchy EDA [24]
BIPOP-CMA-ES	37	24	12e+0/3e5									BIPOP-CMA-ES [15]
(1+1)-CMA-ES	46	14e+1/1e4										(1+1)-CMA-ES [2]
DASA	290	2.1	1	130	1700	1700	1700	1700	1700	1700	91	DASA [19]
DEPSO	120	120	10e+1/2e3									DEPSO [12]
DIRECT	1	11	88e+0/5e3									DIRECT [25]
EDA-PSO	20	56	6e3	15e+0/1e5								EDA-PSO [6]
full NEWUOA	270	4e3	13e+1/1e4									full NEWUOA [31]
G3-PCX	79	19e+1/5e4										G3-PCX [26]
simple GA	100	80	65	3800	34e-1/1e5							simple GA [22]
GLOBAL	160	20e+1/4e3										GLOBAL [23]
iAMaLGA _M IDEA	61	7.1	13e+0/1e6									iAMaLGA _M IDEA [4]
LSfminbnd	280	1.2	49e+0/7e3									LSfminbnd [28]
LSstep	4400	9.5	16	1	1	1	1	1	1	1	1	LSstep [28]
MA-LS-Chain	60	6.2	53	30e-1/1e5								MA-LS-Chain [21]
MCS (Neum)	1	1	21e+0/4e3									MCS (Neum) [18]
NELDER (Han)	40	13e+1/1e4										NELDER (Han) [16]
NELDER (Doe)	35	1600	11e+1/2e4									NELDER (Doe) [5]
NEWUOA	55	4300	17e+1/1e4									NEWUOA [31]
(1+1)-ES	82	3.8e5	13e+1/1e6									(1+1)-ES [1]
POEMS	4e3	18	13	140	220	240	250	250	250	250	14	POEMS [20]
PSO	44	8.6	5900	23e+0/1e5								PSO [7]
PSO_Bounds	66	130	190	300	360	360	360	360	370	380	21	PSO_Bounds [8]
Monte Carlo	130	33e+1/1e6										Monte Carlo [3]
Rosenbrock	650	20e+1/8e3										Rosenbrock [27]
IPOP-SEP-CMA-ES	55	2.5	14e+0/1e4									IPOP-SEP-CMA-ES [29]
VNS (Garcia)	110	3.2	27	2.8e4	1.3e5	1.3e5	1.3e5	20e-1/4e6				VNS (Garcia) [11]

Table 6: 20-D, running time excess ERT/ERT_{best} on f_6 , in italics is given the median Δ target value and the median number of function evaluations to reach this value divided by dimension

	Δ target	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δ target
	ERT_{best}/D											ERT_{best}/D
ALPS	59	25	34	64.7	87.2	123	152	184	219	248	309	ALPS [17]
AMaLGA-M IDEA	26	22	19	22	22	21	22	22	21	22	22	AMaLGA-M IDEA [4]
avg NEWUOA	2.3	1.1	1	1	1	1	1	1	1	1	1	avg NEWUOA [31]
BayEDA-cG	46	41	60e+0/2e3									BayEDA-cG [10]
BFGS	2.2	2.7	3.6	4.7	4.7	4.7	4.9	5	4.8	4.9	61	BFGS [30]
Cauchy-EDA	6200	1500	1e3	1700	17e-1/5e4	17e-1/5e4	1.6	1.6	1.5	1.6	1.6	Cauchy-EDA [24]
BIPOP-CMA-ES	2.9	2.2	1.5	1.7	1.8	1.6	1.6	1.6	1.5	1.6	1.6	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	1.9	4.5	13	180	1200	1200	13e-1/1e4					(1+1)-CMA-ES [2]
DASA	12	6.8	9.9	19	25	25	33	49	58	63	74	DASA [19]
DEPSO	11	7.5	12	64	64	13e-1/2e3						DEPSO [12]
DIRECT	18	31	40e+0/5e3									DIRECT [25]
EDA-PSO	27	46	40	45	44	44	44	44	44	44	44	EDA-PSO [6]
full NEWUOA	5	1.9	1.5	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	full NEWUOA [31]
G3-PCX	4.1	1.4	1.4	2	2	2.1	2.1	2.2	2.2	2.3	2.4	G3-PCX [26]
simple GA	320	130	2e3	11e+0/1e5								simple GA [22]
GLOBAL	5	2.9	3.6	4.9	4.9	8.5	42e-3/2e3					GLOBAL [23]
iAMaLGA-M IDEA	5.1	5.6	5.4	6.8	7.1	7.1	7.7	7.8	7.7	8	8.3	iAMaLGA-M IDEA [4]
LSfminbnd	9	31	160	760	760	1100	960	72e-1/1e4				LSfminbnd [28]
LSStep	140	260	2300	59e+0/1e4								LSStep [28]
MA-LS-Chain	11	4.9	7.5	8.9	8.9	8	7.7	7.2	6.7	6.5	6	MA-LS-Chain [21]
MCS (Neum)	1.8	33	42e+0/4e3									MCS (Neum) [18]
NELDER (Han)	2.2	2.4	2.7	3.3	3.3	3.2	3.5	3.5	3.5	4	7.4	NELDER (Han) [16]
NELDER (Doe)	1.5	2.3	9.1	20	20	28	65	110	430	46e-5/2e4		NELDER (Doe) [5]
NEWUOA	1	1	1	1.3	1.3	1.4	1.5	1.6	1.6	1.7	1.7	NEWUOA [31]
(1+1)-ES	2	2.2	2.1	2.8	2.8	3.9	5.2	6.1	6.5	6.4	6.7	(1+1)-ES [1]
POEMS	89	26	31	37	37	36	36	36	35	36	37	POEMS [20]
PSO	6.4	280	1100	1400	1400	980	820	710	620	570	790	PSO [7]
PSO_Bounds	9.5	45	120	150	150	140	140	140	130	160	220	PSO_Bounds [8]
Monte Carlo	2.4e5	48e+1/1e6										Monte Carlo [3]
Rosenbrock	2.1	3.9	31	76	76	210	230	810	21e-2/1e4			Rosenbrock [27]
IPOP-SEP-CMA-ES	3.2	2.1	1.7	1.9	1.9	1.9	1.9	1.9	1.9	2	2	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	5	2.8	1.9	1.9	1.9	1.7	1.7	1.7	1.6	1.6	1.6	VNS (Garcia) [11]

Table 7: 20-D, running time excess ERT/ERT_{best} on f_7 , in italics is given the median Δ nal function value and the median number of function evaluations to reach this value divided by dimension

7 Step-ellipsoid												
Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}	
ERT_{best}/D	0.53	7.59	67.5	214	475	826	826	826	826	848	ERT_{best}/D	
ALPS	5	26	30	850	930	48e-2/2e5					ALPS [17]	
AMaLGaM IDEA	3	10	3.6	2.1	1.3	1	1	1	1	1	AMaLGaM IDEA [4]	
avg NEWUOA	7.1	1.4	100	51e-1/2e4							avg NEWUOA [31]	
BayEDAacG	4.3	31	57	11e+0/2e3							BayEDAacG [10]	
BFGS	69	67e+1/100									BFGS [30]	
Cauchy EDA	130	130	44	29	18	14	14	14	14	14	Cauchy EDA [24]	
BIPOP-CMA-ES	2.5	2.8	1	4.9	3.5	2.2	2.2	2.2	2.2	2.1	BIPOP-CMA-ES [15]	
(1+1)-CMA-ES	1.6	16	30	54	300	92e-2/1e4					(1+1)-CMA-ES [2]	
DASA	16	49	1.8e4	13e+0/4e5							DASA [19]	
DEPSO	2.7	7.9	18	77e-1/2e3							DEPSO [12]	
DIRECT	3.5	7	15e+0/6e3								DIRECT [25]	
EDA-PSO	2.5	65	26	950	15e-1/1e5						EDA-PSO [6]	
full NEWUOA	1.4	1.9	4.6	700	27e-1/1e4						full NEWUOA [31]	
G3-PCX	4.7	2.8	760	12e+0/1e4							G3-PCX [26]	
simple GA	5.8	180	77	32e-1/1e5							simple GA [22]	
GLOBAL	4.6	2.9	22e+0/700								GLOBAL [23]	
iAMaLGaM IDEA	2	5.8	1.7	1	1	1.3	1.3	1.3	1.3	1.3	iAMaLGaM IDEA [4]	
LSfminbnd	23	21	1e3	15e+0/1e4							LSfminbnd [28]	
LSstep	230	180	2200	29e+0/1e4							LSstep [28]	
MA-LS-Chain	3.4	5.4	4.3	120	360	390	390	390	390	380	MA-LS-Chain [21]	
MCS (Neum)	1	57	38e+0/4e3								MCS (Neum) [18]	
NELDER (Han)	4.5	4.6	2200	16e+0/1e4							NELDER (Han) [16]	
NELDER (Doe)	2.5	1	370	97e-1/2e4							NELDER (Doe) [5]	
NEWUOA	3.6	43	18e+0/2e4								NEWUOA [31]	
(1+1)-ES	3.1	1100	27e+0/1e6								(1+1)-ES [1]	
POEMS	440	55	21	2e3	3100	12e-1/1e5					POEMS [20]	
PSO	2.5	4.8	430	62e-1/1e5							PSO [7]	
PSO_Bounds	3.3	26	9700	22e+0/1e5							PSO_Bounds [8]	
Monte Carlo	3.2	2.1e5									Monte Carlo [3]	
Rosenbrock	500	38e+1/3e3									Rosenbrock [27]	
IPOP-SEP-CMA-ES	3.4	2.8	2.3	4	24	1.5	1.5	1.5	1.5	1.5	IPOP-SEP-CMA-ES [29]	
VNS (Garcia)	1.1	3.7	5.4	78	72	2400	2400	2400	2400	2300	VNS (Garcia) [11]	

Table 8: 20-D, running time excess ERT/ERT_{best} on f_8 , in italics is given the median Δf_{target} and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT_{best}/D											ERT_{best}/D
ALPS	70	51	21	100	460	600	740	1e3	1200	3100	26e-6/2e5	ALPS [17]
AMaLGaM IDEA	25	16	16	20	18	19	20	20	21	21	22	AMaLGaM IDEA [4]
avg NEWUOA	2	1.6	1	1	1	1	1	1	1	1	1	avg NEWUOA [31]
BayEDAeG	55	35	35	48e+0/2e3								BayEDAeG [10]
BFGS	1.9	2	1.9	1.9	1.3	1.2	1.2	1.2	1.2	1.2	1.2	BFGS [30]
Cauchy EDA	360	200	200	200	180	210	250	260	290	360	550	Cauchy EDA [24]
BIPOP-CMA-ES	4	2.4	4.2	4.2	4.2	4.3	4.5	4.5	4.6	4.6	4.7	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	2.7	1.8	1.8	3.9	6.5	6.6	6.6	6.6	6.7	6.6	6.7	(1+1)-CMA-ES [2]
DASA	15	26	34	34	57	120	200	280	350	420	550	DASA [19]
DEPSO	16	16	17e+0/2e3									DEPSO [12]
DIRECT	25	82	64e+0/5e3									DIRECT [25]
EDA-PSO	220	110	190	220	260	260	330	410	17e-5/1e5			EDA-PSO [6]
full NEWUOA	3.4	2.6	1.4	1.6	1.6	1.6	1.7	1.7	1.7	1.7	1.7	full NEWUOA [31]
G3-PCX	3.9	2	2.7	2.7	5.6	5.5	5.5	5.5	5.5	5.5	5.7	G3-PCX [26]
simple GA	480	250	17e+0/1e5									simple GA [22]
GLOBAL	4.1	2.4	1.7	1.7	1.3	1.2	1.2	1.2	1.2	1.2	1.2	GLOBAL [23]
iAMaLGaM IDEA	13	6.4	8.6	9.6	120	710	720	10	10	10	11	iAMaLGaM IDEA [4]
LSfminbnd	7.1	17	9.6	120	120	120	220	40e-1/1e4				LSfminbnd [28]
LSStep	150	71	25	130	130	220	350	12e-1/1e4				LSStep [28]
MA-LS-Chain	12	10	14	13	13	13	13	14	13	13	14	MA-LS-Chain [21]
MCS (Neum)	1.4	1.2	1.6	1.6	1.8	1.8	1.8	1.8	1.8	1.8	1.8	MCS (Neum) [18]
NELDER (Han)	3.2	2.9	3.4	3.9	4.1	4.1	4.5	4.9	5.1	5.3	5.6	NELDER (Han) [16]
NELDER (Doe)	3.2	3	2.9	4.9	5.5	5.5	6	6.5	7.2	7.7	9.2	NELDER (Doe) [5]
NEWUOA	1	1	1	1	1	1	1	1	1	1	1	NEWUOA [31]
(1+1)-ES	2.5	11	13	120	120	120	140	160	180	200	240	(1+1)-ES [1]
POEMS	100	84	590	7600	74e-1/1e5							POEMS [20]
PSO	15	19	93	320	350	350	410	470	580	890	3300	PSO [7]
PSO_Bounds	88	160	540	450	1800	1800	7200	15e-2/1e5				PSO_Bounds [8]
Monte Carlo	80e+2/1e6											Monte Carlo [3]
Rosenbrock	2	1.1	4	25	28	28	35	42	55	62	670	Rosenbrock [27]
IFOP-SEFP-CMA-ES	3.5	1.7	5.6	5.6	5.6	5.7	5.7	5.8	5.8	5.8	5.8	

8 Rosenbrock original

Table 9: 20-D, running time excess ERT/ERT_{best} on f_9 , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT_{best}/D											ERT_{best}/D
ALPS	37	17.8	85.8	155	164	169	173	176	180	186		ALPS [17]
AMaLGA _M IDEA	4800	37	350	48e-1/2e5	23	24	24	25	25	25	25	AMaLGA _M IDEA [4]
avg NEWUOA	230	1.5	1	1.2	1.2	1.3	1.3	1.2	1.2	1.2	1.2	avg NEWUOA [31]
BayEDA _{cG}	4800	27	18e+0/2e3	2.1	2.1	2.1	2	2	2	2	1.9	BayEDA _{cG} [10]
BFGS	210	1.9	2.2	2.2	2.1	2.1	2	2	2	2	1.9	BFGS [30]
Cauchy EDA	3.3e4	220	190	270	290	300	310	340	470	630	630	Cauchy EDA [24]
BIPOP-CMA-ES	390	2.6	4.7	5.7	6	6.1	6.1	6.1	6.1	6.1	6.1	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	260	2.4	4.5	6.7	7	7	7	7	7	7	6.9	(1+1)-CMA-ES [2]
DASA	2e3	77	210	1300	1500	1800	2100	2400	2700	3700	3700	DASA [19]
DEPSO	1400	25	18e+0/2e3									DEPSO [12]
DIRECT	1	4.7	22e+0/5e3									DIRECT [25]
EDA-PSO	2.2e4	130	280	450	14e-2/1e5							EDA-PSO [6]
full NEWUOA	460	3	1.8	2.2	2.3	2.3	2.3	2.3	2.3	2.2	2.2	full NEWUOA [31]
G3-PCX	410	3.6	2.9	3.8	4	4.1	4.1	4.1	4.1	4.2	4.2	G3-PCX [26]
simple GA	4.4e4	270	19e+0/1e5									simple GA [22]
GLOBAL	420	2	1.7	1.7	1.6	1.6	1.6	1.6	1.6	1.5	1.5	GLOBAL [23]
iAMaLGA _M IDEA	1400	7.5	9.6	11	12	12	12	12	12	12	13	iAMaLGA _M IDEA [4]
LSfminbd	740	6.5	52	470	32e-1/1e4							LSfminbd [28]
LSstep	1.5e4	130	18e+0/1e4									LSstep [28]
MA-LS-Chain	820	7.3	17	25	27	29	31	31	30	30	30	MA-LS-Chain [21]
MCS (Neum)	1	1	1	1.3	1.5	1.6	1.6	1.7	1.7	1.7	1.6	MCS (Neum) [18]
NELDER (Han)	200	2.3	3.6	6.6	7.2	7.8	8.4	8.6	8.8	8.9	8.9	NELDER (Han) [16]
NELDER (Doe)	150	1.4	3.3	6.1	6.6	7	7.5	7.9	8.4	9.4	9.4	NELDER (Doe) [5]
NEWUOA	130	1.3	1	1	1	1	1	1	1	1	1	NEWUOA [31]
(1+1)-ES	260	2.2	12	52	65	86	110	130	160	200	200	(1+1)-ES [1]
POEMS	1e4	74	2e3	99e-1/1e5								POEMS [20]
PSO	1600	40	670	75e-1/1e5								PSO [7]
PSO_Bounds	8.2e4	650	700	9700	20e-1/1e5							PSO_Bounds [8]
Monte Carlo	68e+2/1e6											Monte Carlo [3]
Rosenbrock	190	1.2	8.4	31	37	49	63	850	35e-5/1e4			Rosenbrock [27]
IPOP-SEP-CMA-ES	320	2.2	6.9	7	7.2	7.3	7.3	7.3	7.2	7.2	7.2	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	510	3.2	6.9	8.2	8.7	8.7	8.7	8.6	8.6	8.6	8.5	VNS (Garcia) [11]

Table 10: 20-D, running time excess ERT/ERT_{best} on f_{10} , in italics is given the median Δf_{target} and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
ALPS	ERT_{best}/D	263	2500	16e+1/2e5	433	537	682	746	810	854	874	ERT_{best}/D
AMaLGaM IDEA	3.9	1.9	1.8	1.8	2	1.9	1.7	1.7	1.8	1.8	2.1	AMaLGaM IDEA [4]
avg NEWUOA	1	1	1.5	1.5	2.6	3.1	3.1	3.6	3.9	4.2	5	avg NEWUOA [31]
BayEDAacG	42e+3/2e3											BayEDAacG [10]
BFGS	1.6	1	1	1	1	1	1.1	1.1	1.3	3.1	77e-8/5e4	BFGS [30]
Cauchy EDA	36	21	20	20	22	20	19	20	21	21	25	Cauchy EDA [24]
BIPOP-CMA-ES	3.1	1.9	1.9	1.9	1.8	1.6	1.3	1.2	1.1	1.1	1.1	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	2.5	1.7	1.7	1.7	1.7	1.4	1.2	1.1	1	1	1	(1+1)-CMA-ES [2]
DASA	390	1200	3400	72e-1/1e6								DASA [19]
DEPSO	17e+3/2e3											DEPSO [12]
DIRECT	94e+2/5e3											DIRECT [25]
EDA-PSO	480	36e+1/1e5										EDA-PSO [6]
full NEWUOA	9.9	15	34	67e-1/1e4								full NEWUOA [31]
G3-PCX	3.1	3.4	6.5	10	12	13	15	16	18	23	23	G3-PCX [26]
simple GA	15e+3/1e5											simple GA [22]
GLOBAL	1.7	1	1	1.1	1.1	1.1	1.2	2	2.6	5.9	19e-6/2e3	GLOBAL [23]
iAMaLGaM IDEA	2.3	1.3	1.3	1.3	1.2	1.2	1	1	1	1	1.1	iAMaLGaM IDEA [4]
LSfminbnd	290	22e+2/1e4										LSfminbnd [28]
LSstep	18e+3/1e4											LSstep [28]
MA-LS-Chain	11	12	11	13	13	11	8.5	7.8	7.2	6.9	6.8	MA-LS-Chain [21]
MCS (Neum)	72e+2/4e3											MCS (Neum) [18]
NELDER (Han)	2.9	5.3	390	30e+0/1e4								NELDER (Han) [16]
NELDER (Doe)	2.2	4.2	30	57e-1/2e4								NELDER (Doe) [5]
NEWUOA	1.2	1.1	1.7	2.6	2.6	3.3	3.3	4	4.3	4.7	5.8	NEWUOA [31]
(1+1)-ES	50	110	300	700	700	1e3	1e3	2200	3500	8700	94e-5/1e6	(1+1)-ES [1]
POEMS	5100	12e+2/1e5										POEMS [20]
PSO	1200	5600	84e+1/1e5									PSO [7]
PSO_Bounds	650	41e+1/1e5										PSO_Bounds [8]
Monte Carlo	11e+4/1e6											Monte Carlo [3]
Rosenbrock	27	140	27e+1/1e4									Rosenbrock [27]
IPOP-SEP-CMA-ES	7.2	3.8	3.1	2.9	2.9	2.4	2	1.8	1.7	1.6	1.6	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	8.2	5.7	4.8	4.7	4.2	3.4	3.4	3.1	2.9	2.8	2.7	VNS (Garcia) [11]

Table 11: 20-D, running time excess ERT/ERT_{best} on $f_{1,1}$, in italics is given the median Δ nal function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT_{best}/D	1.35	24.1	50.1	111	314	429	488	554	614	742	ERT_{best}/D
	ALPS	5	59	490	980	2200	12e-2/2e5	488	554	614	742	ALPS [17]
AMaLGA-M IDEA	7	3.3	3.3	5	3.7	1.9	1.6	1.7	1.8	1.8	1.9	AMaLGA-M IDEA [4]
avg NEWUOA	6	11	11	15	11	5.7	5.1	5.6	5.5	5.8	6.1	avg NEWUOA [31]
BayEDA-cG	4.9	250	250	14e+1/2e3								BayEDA-cG [10]
BFGS	2.9	1	1	1	1	1.3	2.6	150	31e-4/1e4			BFGS [30]
Cauchy-EDA	100	71	71	64	44	22	20	22	24	25	26	Cauchy-EDA [24]
BIPOP-CMA-ES	4.1	18	18	10	5.1	1.9	1.5	1.4	1.3	1.2	1	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	2.4	5.6	5.6	7	5.1	2.4	2.3	2.4	2.4	2.3	2	(1+1)-CMA-ES [2]
DASA	4.4	120	120	570	690	420	550	730	810	980	1500	DASA [19]
DEPSO	8.2	110	110	95e+0/2e3								DEPSO [12]
DIRECT	2.1	23	23	76e+0/5e3								DIRECT [25]
EDA-PSO	4.3	74	74	1900	1.3e4	79e-1/1e5						EDA-PSO [6]
full NEWUOA	5	40	40	57	45	21	18	36	88	75e-5/1e4		full NEWUOA [31]
G3-PCX	4	9.7	9.7	18	14	7	6.5	7.1	7.3	7.6	8	G3-PCX [26]
simple GA	4.2	120	120	2.9e4	20e+0/1e5							simple GA [22]
GLOBAL	5	1.5	1.5	1.2	1	1	2.2	74e-4/1e3				GLOBAL [23]
iAMaLGA-M IDEA	4.4	5.2	5.2	4.4	2.7	1.2	1	1	1	1	1	iAMaLGA-M IDEA [4]
LSfminbnd	2	22e+1/1e4	22e+1/1e4									LSfminbnd [28]
LSStep	2.4	29e+1/1e4	29e+1/1e4									LSStep [28]
MA-LS-Chain	2.6	30	30	63	35	14	12	11	10	9.3	7.8	MA-LS-Chain [21]
MCS (Neum)	1	53	53	62e+0/4e3								MCS (Neum) [18]
NELDER (Han)	3.3	5.2	5.2	41	290	16e-1/1e4						NELDER (Han) [16]
NELDER (Doe)	4.4	4.4	4.4	17	24	74	75e-3/2e4					NELDER (Doe) [5]
NEWUOA	1.5	15	15	15	13	5.8	5.6	6.1	6.2	6.6	6.5	NEWUOA [31]
(1+1)-ES	2100	1400	1400	1600	1200	580	560	610	620	670	680	(1+1)-ES [1]
POEMS	130	52	52	440	410	190	190	980	34e-4/1e5			POEMS [20]
PSO	4.1	46	46	140	190	110	110	130	140	150	2e3	PSO [7]
PSO_Bounds	4.4	210	210	570	440	220	240	480	660	1200	12e-4/1e5	PSO_Bounds [8]
Monte Carlo	5.5	930	930	67e+0/1e6								Monte Carlo [3]
Rosenbrock	2.9	880	880	11e+1/1e4								Rosenbrock [27]
IPOP-SEP-CMA-ES	3.1	34	34	20	10	3.7	2.8	2.5	2.3	2.1	1.8	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	4.4	23	23	12	6.2	2.4	1.9	1.8	1.6	1.6	1.4	VNS (Garcia) [11]

11 Discuss

Table 12: 20-D, running time excess ERT/ERT_{best} on f_{12} , in italics is given the median Δf_{target} and the median number of function evaluations to reach this value divided by dimension

12 Bent cigar											
Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
ERT_{best}/D	25.4	29.6	52.1	96.9	137	158	207	321	620	691	ERT_{best}/D
ALPS	80	90	87	240	840	3500	33e-3/2e5	.	.	.	ALPS [17]
AMaLGaM IDEA	28	29	19	12	13	16	15	12	7.6	8.4	AMaLGaM IDEA [4]
avg NEWUOA	1.4	1.3	11	15	18	24	24	20	12	21	avg NEWUOA [31]
BayEDAacG	55	60	42	77	21e-1/2e3	BayEDAacG [10]
BFGS	1.6	1.6	1.6	1.6	1.6	1.7	1.6	2.2	1.8	45	BFGS [30]
Cauchy EDA	450	520	510	440	420	400	380	360	390	1100	Cauchy EDA [24]
BIPOP-CMA-ES	3	3	3	4	4.5	4.9	4.5	3.3	1.9	2	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	1.8	3.1	7.7	9.6	9.9	9.6	8.3	6	3.4	3.6	(1+1)-CMA-ES [2]
DASA	13	16	2.2e4	2.8e4	4.7e4	8.9e4	6.8e4	4.4e4	2.3e4	13e+0/1e6	DASA [19]
DEPSO	39	48	68	77e-1/2e3	DEPSO [12]
DIRECT	340	330	420	240	25e+3/5e3	DIRECT [25]
EDA-PSO	230	250	300	260	720	2600	6800	4400	2300	57e-3/1e5	EDA-PSO [6]
full NEWUOA	2.3	6.7	11	15	26	27	38	37	35	100	full NEWUOA [31]
G3-PCX	2.4	2.5	2.7	2.8	3	3.3	2.9	2.1	1.2	1.3	G3-PCX [26]
simple GA	7100	1.5e4	14e+2/1e5	simple GA [22]
GLOBAL	1.1	1.1	1	1	1	1	1	1	1.1	3.4	GLOBAL [23]
iAMaLGaM IDEA	12	13	8.7	6.6	7.2	8.1	7.8	6	3.6	3.9	iAMaLGaM IDEA [4]
LSfminbnd	2.9	3	97	410	76e-1/1e4	LSfminbnd [28]
LSStep	29	35	230	680	16e+0/1e4	LSStep [28]
MA-LS-Chain	11	12	7.4	9.8	130	140	150	97	51	47	MA-LS-Chain [21]
MCS (Neum)	1.3	1.3	1.1	8.4	12	24	43	87	94	16e-4/4e3	MCS (Neum) [18]
NELDER (Han)	2.7	5.5	19	26	57	78	340	460	54e-4/1e4	.	NELDER (Han) [16]
NELDER (Doe)	2.3	4.1	13	45	61	400	1400	21e-3/2e4	.	.	NELDER (Doe) [5]
NEWUOA	1.3	1.3	3	3	3	3	2.5	1.8	1	1	NEWUOA [31]
(1+1)-ES	1.7	1.7	1.2e4	6.7e4	52e-1/1e6	(1+1)-ES [1]
POEMS	160	170	420	2100	37e-1/1e5	POEMS [20]
PSO	640	550	1700	64e-1/1e5	PSO [7]
PSO_Bounds	240	270	700	3e3	5100	64e-1/1e5	PSO_Bounds [8]
Monte Carlo	28e+6/1e6	Monte Carlo [3]
Rosenbrock	1	1	14	56	210	910	70e-2/1e4	.	.	.	Rosenbrock [27]
IPOP-SEFP-CMA-ES	2.7	2.8	5.8	6.7	6.4	6.8	5.9	4.3	2.4	2.5	IPOP-SEFP-CMA-ES [29]
VNS (Garcia)	3.3	3.4	5.9	5.9	6.6	9.1	8.3	7.4	4.1	4.4	VNS (Garcia) [11]

Table 13: 20-D, running time excess ERT/ERT_{best} on f_{13} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT_{best}/D											ERT_{best}/D
ALPS	49	130	8.51	97	130	420	2700	14e-3/2e5	1090	1220	1510	ALPS [17]
AMaLGA_M IDEA	18	41	18	18	8	8	7.7	1.7	1.7	1.7	1.7	AMaLGA_M IDEA [4]
avg NEWUOA	2.1	1.8	1.5	1.5	5.3	14	30	14	57	170	67e-5/2e4	avg NEWUOA [31]
BayEDA_cG	45	150	910	910	49e+0/2e3							BayEDA_cG [10]
BFGS	1.2	1.6	1.6	1.7	1	1	1	23	87	96e-5/2e4		BFGS [30]
Cauchy_EDA	260	410	210	210	100	100	100	23	23	23	23	Cauchy_EDA [24]
BIPOP-CMA-ES	3.6	5.1	4.3	4.3	2.7	5.1	6.2	1.5	1.6	2.3	3	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	2.9	3.4	3.4	4.9	7.1	10	11	4.2	5.7	6.3	14	(1+1)-CMA-ES [2]
DASA	15	22	380	380	230	570	1600	670	1200	3700	51e-6/1e6	DASA [19]
DEPSO	11	40	64	64	53e-1/2e3							DEPSO [12]
DIRECT	15	2400	13e+1/5e3									DIRECT [25]
EDA-PSO	110	330	160	160	330	1200	12e-2/1e5					EDA-PSO [6]
full NEWUOA	4.1	3.6	1.8	1.8	6	18	49	26	40	120	30e-4/1e4	full NEWUOA [31]
G3-PCX	4.3	4.8	9.3	9.3	17	43	75	47	110	130	330	G3-PCX [26]
simple GA	290	700	5100	5100	10e+0/1e5							simple GA [22]
GLOBAL	5.7	3.1	8.7	2	1.1	1.1	1.1	4.5	4.2	16e-4/1e3		GLOBAL [23]
iAMaLGA_M IDEA	9.2	18	8.7	19	4.1	4.3	4.4	1	1	1	1	iAMaLGA_M IDEA [4]
LSfminbd	6.2	8.7	19	19	19	68	150	160	130	53e-3/1e4		LSfminbd [28]
LSstep	180	310	460	460	1400	12e+0/1e4						LSstep [28]
MA-LS-Chain	7.3	22	11	11	390	700	1800	1500	1300	27e-3/1e5		MA-LS-Chain [21]
MCS (Neum)	1.3	8.4	34	34	37	61	330	60e-2/4e3				MCS (Neum) [18]
NELDER (Han)	2.3	6.4	11	11	29	60	180	77	130	35e-3/1e4		NELDER (Han) [16]
NELDER (Doe)	1.5	3.4	12	12	18	31	87	98	270	36e-4/2e4		NELDER (Doe) [5]
NEWUOA	1	1	1	1	3	9.3	37	19	130	43e-4/9e3		NEWUOA [31]
(1+1)-ES	2.5	3.3	7.4	7.4	13	26	95	50	110	410	2e3	(1+1)-ES [1]
POEMS	100	200	1700	1700	1.4e4	59e-1/1e5						POEMS [20]
PSO	6.1	1800	6200	6200	6400	1e4	8e3	1500	1300	22e+0/1e5		PSO [7]
PSO_Bounds	12	310	2300	2300	4100	50e-1/1e5						PSO_Bounds [8]
Monte Carlo	1.5e5	92e+1/1e6										Monte Carlo [3]
Rosenbrock	2.2	2	2.5	2.5	4.2	8.3	31	17	43	120	18e-4/1e4	Rosenbrock [27]
IPOP-SEP-CMA-ES	3.6	5	5.8	5.8	5.4	7.7	8	1.7	1.9	1.9	2	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	5.8	6.2	4.3	4.3	55	120	180	130	320	540	1500	VNS (Garcia) [11]

13 Sharp ridge

Table 14: 20-D, running time excess ERT/ERT_{best} on $f_{1.4}$, in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

14 Sum of different powers													
Δf_{target}	ERT_{best}/D	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}	ERT_{best}/D
ALPS	1	3.7	4.1	3.75	5.6	1.2	15.2	78	93	190	46.6	66.6	1200
AMaLGaM IDEA	1	4.7	19	1.5	22	30	28	17	15	14	1.9	AMaLGaM IDEA [4]	
avg NEWUOA	1	38	2.7	1.6	1.6	1.3	2.7	1.3	2.7	9.3	26	avg NEWUOA [31]	
BayEDAeG	1	7.2	55	67	150	250	15e-3/2e3	1.1	1.1	1.1	18e-7/1e4	BayEDAeG [10]	
BFGS	1	23	2.7	1.8	1.8	1.2	1.1	1.2	1.1	1.1	18e-7/1e4	BFGS [30]	
Cauchy EDA	1	930	280	270	350	340	210	180	180	180	25	Cauchy EDA [24]	
BIPOP-CMA-ES	1	7.6	3.9	2.9	3.7	4.3	4.1	5	5	6.2	1.2	BIPOP-CMA-ES [15]	
(1+1)-CMA-ES	1	18	3.1	1.9	2.3	2.5	2.3	3.4	3.4	5.6	1.2	(1+1)-CMA-ES [2]	
DASA	1	93	16	10	12	22	75	560	560	5200	43e-7/1e6	DASA [19]	
DEPSO	1	13	14	14	14	25	49	44e-4/2e3	1.1	1.1	1.1	DEPSO [12]	
DIRECT	1	1	8.4	150	290	90e-3/5e3	1.1	1.1	1.1	1.1	1.1	DIRECT [25]	
EDA-PSO	1	3.8	85	140	200	190	130	26	26	21e-6/1e5	1.1	EDA-PSO [6]	
full NEWUOA	1	47	5.9	3	3.6	3.3	2.6	5	5	20	12e-7/1e4	full NEWUOA [31]	
G3-PCX	1	5.7	4.1	2.4	2.4	2.8	3	2.7	4.5	13	59	G3-PCX [26]	
simple GA	1	4.1	280	320	480	2900	72e-4/1e5	1.1	1.1	1.1	1.1	simple GA [22]	
GLOBAL	1	7.5	5	2.2	2.1	1.8	1.1	7.8	6.9	6.9	1	GLOBAL [23]	
iAMaLGaM IDEA	1	4.3	11	9.3	13	12	12	57	31e-5/1e4	1.1	1.1	iAMaLGaM IDEA [4]	
LSfminbnd	1	83	8.4	5.2	5.6	9.3	16	14	14	23	6	LSfminbnd [28]	
LSstep	1	910	190	110	120	210	46e-4/1e4	1.1	1.1	1.1	1.1	LSstep [28]	
MA-LS-Chain	1	4.1	7.6	11	11	16	14	14	23	23	6	MA-LS-Chain [21]	
MCS (Neum)	1	1	1	2.1	3.4	3.7	3.2	3.2	15e-5/4e3	1.1	1.1	MCS (Neum) [18]	
NELDER (Han)	1	23	2.3	3	3.9	3.6	2.9	2.9	4.9	36	44e-7/1e4	NELDER (Han) [16]	
NELDER (Doe)	1	11	2	2.1	3.5	3.7	3	5.4	5.4	21	26e-7/2e4	NELDER (Doe) [5]	
NEWUOA	1	20	1.5	1	1	1	1	1	2.3	9.1	43	NEWUOA [31]	
(1+1)-ES	1	17	2.5	1.8	1.8	2	2.2	4.8	38	470	71e-8/1e6	(1+1)-ES [1]	
POEMS	1	3100	110	66	66	120	160	130	2e3	94e-6/1e5	1.1	POEMS [20]	
PSO	1	7.2	6.7	1.2	1.2	20	27	54	580	44e-6/1e5	1.1	PSO [7]	
PSO_Bounds	1	4.6	23	100	170	240	380	380	1300	78e-6/1e5	1.1	PSO_Bounds [8]	
Monte Carlo	1	5.3	4.5e4	80e-1/1e6	1.1	1.1	1.1	1.1	1.1	1.1	1.1	Monte Carlo [3]	
Rosenbrock	1	80	2.4	1.2	1.2	1.3	1.8	7.4	97	71e-6/1e4	1.1	Rosenbrock [27]	
IPOP-SEP-CMA-ES	1	14	3.3	2.6	2.6	3.2	3.7	6.8	8.8	10	1.6	IPOP-SEP-CMA-ES [29]	
VNS (Garcia)	1	3.6	6.4	3.9	3.9	4.4	5.1	5	6.4	7.8	1.4	VNS (Garcia) [11]	

Table 15: 20-D, running time excess ERT/ERT_{best} on f_{15} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	$1e+03$	$1e+02$	$1e+01$	$1e+00$	$1e-01$	$1e-02$	$1e-03$	$1e-04$	$1e-05$	$1e-07$	Δf_{target}
ERT_{best}/D	0.06	83.5	1520	7330	15600	15800	16000	16100	22500	23000	ERT_{best}/D
ALPS	18	10	$20e+0/2e5$								ALPS [17]
AMaLGaM	12										
IDEA											

15 Rastrigin

Table 16: 20-D, running time excess ERT/ERT_{best} on f_{16} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

16 Weierstrass															
Δf_{target}	$1e+03$	$1e+02$	$1e+01$	$1e+00$	$1e-01$	$1e-02$	$1e-03$	$1e-04$	$1e-05$	$1e-07$	Δf_{target}	ERT_{best}/D			
ERT_{best}/D	0.05	0.05	69.2	1360	3850	6960	9400	9760	9890	11000	ERT_{best}/D				
ALPS [17]	1	1.2	9.3	110	<i>78e-2/2e5</i>	ALPS [17]				
AMaLgAM IDEA [4]	1	1.1	1.4	3.3	5.2	5.4	6.2	6.1	6.1	5.7	AMaLgAM IDEA [4]				
avg NEWUOA [31]	1	1.5	3.6	<i>31e-1/2e4</i>	avg NEWUOA [31]				
BayEDAacG [10]	1	1.2	<i>21e+0/2e3</i>	BayEDAacG [10]				
BFGS [30]	1	1.40	<i>26e+0/2e4</i>	BFGS [30]				
Cauchy EDA [24]	1	3.5	<i>16e+0/5e4</i>	Cauchy EDA [24]				
BIPOP-CMA-ES [15]	1	1.3	1.7	1	1.2	1	1	1	1	1	BIPOP-CMA-ES [15]				
(1+1)-CMA-ES [2]	1	1.1	3.4	<i>53e-1/1e4</i>	(1+1)-CMA-ES [2]				
DASA [19]	1	2.3	980	<i>44e-1/1e6</i>	DASA [19]				
DEPSO [12]	1	1.2	<i>23e+0/2e3</i>	DEPSO [12]				
DIRECT [25]	1	1	8.3	7	<i>12e-1/5e3</i>	DIRECT [25]				
EDA-PSO [6]	1	1.3	530	55	380	<i>75e-2/1e5</i>	EDA-PSO [6]				
full NEWUOA [31]	1	1.9	4.6	110	<i>25e-1/1e4</i>	full NEWUOA [31]				
G3-PCX [26]	1	1.3	17	<i>32e-1/5e4</i>	G3-PCX [26]				
simple GA [22]	1	1.3	140	<i>1e3</i>	<i>24e-1/1e5</i>	simple GA [22]				
GLOBAL [23]	1	1.2	1	<i>42e-1/600</i>	GLOBAL [23]				
iAMaLgAM IDEA [4]	1	1.2	3.6	1.7	13	18	29	29	28	26	iAMaLgAM IDEA [4]				
LSfminbnd [28]	1	1.1	160	<i>95e-1/1e4</i>	LSfminbnd [28]				
LSstep [28]	1	1	240	<i>10e+0/1e4</i>	LSstep [28]				
MA-LS-Chain [21]	1	1.1	19	<i>18e-1/1e5</i>	MA-LS-Chain [21]				
MCS (Neum) [18]	1	1	11	<i>75e-1/4e3</i>	MCS (Neum) [18]				
NELDER (Han) [16]	1	1.3	17	<i>47e-1/1e4</i>	NELDER (Han) [16]				
NELDER (Doe) [5]	1	1.4	7.2	<i>30e-1/2e4</i>	NELDER (Doe) [5]				
NEWUOA [31]	1	1.1	16	<i>53e-1/1e4</i>	NEWUOA [31]				
(1+1)-ES [1]	1	1.2	1400	<i>72e-1/1e6</i>	(1+1)-ES [1]				
POEMS [20]	1	250	15	21	100	<i>58e-2/1e5</i>	POEMS [20]				
PSO [7]	1	1.3	110	<i>47e-1/1e5</i>	PSO [7]				
PSO_Bounds [8]	1	1.2	130	<i>1e3</i>	<i>25e-1/1e5</i>	PSO_Bounds [8]				
Monte Carlo [3]	1	1.3	6.5e4	<i>11e+0/1e6</i>	Monte Carlo [3]				
Rosenbrock [27]	1	3.4	<i>29e+0/1e4</i>	Rosenbrock [27]				
IPOP-SEP-CMA-ES [29]	1	1.2	3.1	1	1	1.1	1.4	1.9	1.9	1.7	IPOP-SEP-CMA-ES [29]				
VNS (Garcia) [11]	1	1	3.6	9.1	500	<i>72e-3/3e6</i>	VNS (Garcia) [11]				

Table 17: 20-D, running time excess ERT/ERT_{best} on f_{17} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT_{best}/D	0.05	3.15	51.5	200	5100	16e-2/2e5	1530	2230	2810	4020	ERT_{best}/D
	ALPS	1	1.5	19	28	4.3	5.1	4.7	3.5	5.1	5.4	ALPS [17]
AMaLGaM IDEA	1	1.1	14	7.7	4.3	4.3	5.1	4.7	3.5	5.1	5.4	AMaLGaM IDEA [4]
avg NEWUOA	1	2.1	2.4	29e-1/4e4								avg NEWUOA [31]
BayEDAeG	1	2	19	19	48	48	15e-2/2e3					BayEDAeG [10]
BFGS	1	350	360	56e-1/2e4								BFGS [30]
Cauchy EDA	1	200	260	120	62	62	30	16	16	23	37e-7/5e4	Cauchy EDA [24]
BIPOP-CMA-ES	1	4	2.2	1	1	1	1	1.2	1.4	1.3	1.4	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	1	1.9	29	49e-1/1e4								(1+1)-CMA-ES [2]
DASA	1	8.5	6.6e4	57e-1/1e6								DASA [19]
DEPSO	1	1.5	8.3	18	150	150	43e-2/2e3					DEPSO [12]
DIRECT	1	1	1.8	55	55e-2/5e3							DIRECT [25]
EDA-PSO	1	1.3	13	36	20	20	22	10	8.1	18	21	EDA-PSO [6]
full NEWUOA	1	9.4	13	37e-1/1e4								full NEWUOA [31]
G3-PCX	1	1.2	4	35e-1/5e4								G3-PCX [26]
simple GA	1	1.2	57	92	7100	7100	21e-2/1e5					simple GA [22]
GLOBAL	1	1.6	6.2	44e-1/3e3								GLOBAL [23]
iAMaLGaM IDEA	1	1.5	6.4	2.9	1.5	1.5	1.4	6.1	22	29	23	iAMaLGaM IDEA [4]
LSfminbnd	1	6.8	990	82e-1/1e4								LSfminbnd [28]
LSstep	1	55	1700	78e-1/1e4								LSstep [28]
MA-LS-Chain	1	1.3	3.5	5.1	7.7	7.7	10	12	33	59	86	MA-LS-Chain [21]
MCS (Neum)	1	1	1	42e-1/4e3								MCS (Neum) [18]
NELDER (Han)	1	1.3	240	62e-1/1e4								NELDER (Han) [16]
NELDER (Doe)	1	4	2.1	46e-1/2e4								NELDER (Doe) [5]
NEWUOA	1	5.1	16	38e-1/8e4								NEWUOA [31]
(1+1)-ES	1	5.7	5.2e4	73e-1/1e6								(1+1)-ES [1]
POEMS	1	540	94	25	19	19	200	270	11e-3/1e5			POEMS [20]
PSO	1	1.1	3.2	2500	10e-1/1e5							PSO [7]
PSO_Bounds	1	1.3	3	830	85e-2/1e5							PSO_Bounds [8]
Monte Carlo	1	1.1	120	50e-1/1e6								Monte Carlo [3]
Rosenbrock	1	1.6e4	2.1e4	19e+0/1e4								Rosenbrock [27]
IPOP-SEP-CMA-ES	1	1.4	2.8	4	3.1	3.1	1.6	1	1	1	1	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	1	1.2	5.3	1.2	1.5	1.5	5.8	34	2500	10e-5/4e6		VNS (Garcia) [11]

Table 18: 20-D, running time excess ERT/ERT_{best} on f_{18} , in italics is given the median Δf_{target} and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
ERT _{best} /D	ERT _{best} /D											ERT _{best} /D
ALPS	1.1	0.05	0.14	31	430	69e-2/2e5	1430	3380	4980	6530	7330	ALPS [17]
AMaLGaM IDEA	1.2	3.8	7.3	7.3	3	1	1	1.7	2.7	2.8	3.7	AMaLGaM IDEA [4]
avg NEWUOA	1.3	19	3200	3200	10e+0/6e4							avg NEWUOA [31]
BayEDAeG	1	6.4	15	15	17	95e-2/2e3						BayEDAeG [10]
BFGS	1	920	21e+0/2e4	21e+0/2e4								BFGS [30]
Cauchy EDA	2.5	270	96	96	42	15	16	12	13	38	25e-6/5e4	Cauchy EDA [24]
BIPOP-CMA-ES	1	5.3	1	1	24	1.2	1.6	1.1	1.8	1.7	1.6	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	1	12	4800	4800	16e+0/1e4							(1+1)-CMA-ES [2]
DASA	1	60	4.6e5	4.6e5	25e+0/1e6							DASA [19]
DEPSO	1	7.9	7.1	7.1	49	16e-1/2e3						DEPSO [12]
DIRECT	1	6.5	9.1	9.1	110	12e-1/5e3						DIRECT [25]
EDA-PSO	1.1	4.2	30	30	15	5.2	5.4	18	83	220	47e-5/1e5	EDA-PSO [6]
full NEWUOA	1.1	23	950	950	12e+0/1e4							full NEWUOA [31]
G3-PCX	1.1	2.2	7100	7100	14e+0/5e4							G3-PCX [26]
simple GA	1.1	7.8	76	76	310	73e-2/1e5						simple GA [22]
GLOBAL	1.1	5.9	17e+0/4e3	17e+0/4e3								GLOBAL [23]
iAMaLGaM IDEA	1.2	3.4	2.7	2.7	1.2	2.3	3.7	19	18	16	18	iAMaLGaM IDEA [4]
LSfminbnd	2.2	31	4500	4500	26e+0/1e4							LSfminbnd [28]
LSstep	1.1	610	31e+0/1e4	31e+0/1e4								LSstep [28]
MA-LS-Chain	1.1	5.8	3.6	3.6	3.6	26	78	210	43e-4/1e5			MA-LS-Chain [21]
MCS (Neum)	1	1	17e+0/4e3	17e+0/4e3								MCS (Neum) [18]
NELDER (Han)	1	830	20e+0/1e4	20e+0/1e4								NELDER (Han) [16]
NELDER (Doe)	1	6.5	4300	4300	14e+0/2e4							NELDER (Doe) [5]
NEWUOA	3.9	320	1.2e4	1.2e4	11e+0/8e4							NEWUOA [31]
(1+1)-ES	1	2.9e5	24e+0/1e6	24e+0/1e6								(1+1)-ES [1]
POEMS	5.1	1100	21	21	140	210	990	38e-2/1e5				POEMS [20]
PSO	1.1	5.2	240	240	29e-1/1e5							PSO [7]
PSO_Bounds	1.1	2.4	69	69	7100	22e-1/1e5						PSO_Bounds [8]
Monte Carlo	1.1	7.7	18e+0/1e6	18e+0/1e6								Monte Carlo [3]
Rosenbrock	1.4e4	4.8e4	97e+0/1e4	97e+0/1e4								Rosenbrock [27]
IPOP-SEP-CMA-ES	1	8.5	1	1	1	1.1	1.2	1	1	1	1	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	1	2.5	1.3	1.3	1	1.4	250	40e-4/4e6				VNS (Garcia) [11]

Table 19: 20-D, running time excess ERT_{best} on f_{19} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	ERT_{best}/D	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
	ERT_{best}/D												ERT_{best}/D
ALPS	1	1	0.05	1200	0.05	6.2e5	17200	2.34e5	3.11e5	3.33e5	3.34e5	3.37e5	ALPS [17]
AMaLgAM IDEA	1	1.2	740	740	3.4e4	7.6	4.5	8.2	8.2	8.2	8.2	8.1	AMaLgAM IDEA [4]
avg NEWUOA	1	2.9	210	210	8e6	20e-1/1e5							avg NEWUOA [31]
BayEDAeG	1	1.1	1500	1500	41e-1/2e3								BayEDAeG [10]
BFGS	1	1.70	1.2e6	1.2e6	12e+0/1e4								BFGS [30]
Cauchy EDA	1	3.4	8400	8400	34e-1/5e4								Cauchy EDA [24]
BIPOP-CMA-ES	1	1	170	170	2.4e4	1.2	1	1	1	1	1	1	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	1	1	1400	1400	2.8e6	18e-1/1e4							(1+1)-CMA-ES [2]
DASA	1	2.1	1.8e6	1.8e6	58e-1/1e6								DASA [19]
DEPSO	1	1.1	430	430	50e-1/2e3								DEPSO [12]
DIRECT	1	1	1	1	1	21e-2/5e3							DIRECT [25]
EDA-PSO	1	1.1	4600	4600	2.8e7	26e-1/1e5							EDA-PSO [6]
full NEWUOA	1	1.3	480	480	21e-1/1e4								full NEWUOA [31]
G3-PCX	1	1.1	800	800	26e-1/5e4								G3-PCX [26]
simple GA	1	1.1	1.4e4	1.4e4	6.5e5	44e-2/1e5							simple GA [22]
GLOBAL	1	1	5600	5600	57e-1/3e3								GLOBAL [23]
iAMaLgAM IDEA	1	1.1	460	460	1.8e6	44	<i>72e-3/1e6</i>						iAMaLgAM IDEA [4]
LSfminbnd	1	2.6	1200	1200	38e-1/1e4								LSfminbnd [28]
LSstep	1	1.30	7800	7800	41e-1/1e4								LSstep [28]
MA-LS-Chain	1	1	1	1	1	13	<i>11e-2/1e5</i>						MA-LS-Chain [21]
MCS (Neum)	1	1	160	160	1.4e6	19e-1/1e4							MCS (Neum) [18]
NELDER (Han)	1	1	73	73	4.3e5	9e-2/2e4							NELDER (Han) [16]
NELDER (Doe)	1	1	76	76	4.3e6	12e-1/1e5							NELDER (Doe) [5]
NEWUOA	1	1.1	6.3e6	6.3e6	56e-1/1e6								NEWUOA [31]
(1+1)-ES	1	2.5	170	170	94e-2/1e5								(1+1)-ES [1]
POEMS	1	1.1	6200	6200	1.4e6								POEMS [20]
PSO	1	1.1	380	380	32e-1/1e5								PSO [7]
PSO_Bounds	1	1.1	820	820	31e-1/1e5								PSO_Bounds [8]
Monte Carlo	1	1.1	5.9e5	5.9e5	78e-1/1e6								Monte Carlo [3]
Rosenbrock	1	3.1e4	33e+0/1e4	33e+0/1e4									Rosenbrock [27]
IPOP-SEP-CMA-ES	1	1	150	150	2.7e4	8.7	<i>29e-2/1e4</i>						IPOP-SEP-CMA-ES [29]
VNS (Garcia)	1	1	330	330	8.2e4	21e-2/6e6							VNS (Garcia) [11]

Table 20: 20-D, running time excess ERT/ERT_{best} on f_{20} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
ERT _{best} /D	3.53	4.09	2310	1.55e5	2.76e5	2.77e5	2.78e5	2.78e5	2.82e5	2.82e5	ERT _{best} /D	
ALPS [17]	48	54	53	9.2	<i>47e-2/2e5</i>	ALPS [17]
AMaLgAM IDEA	20	22	20	88	<i>68e-2/1e6</i>	AMaLgAM IDEA [4]
avg NEWUOA	1.8	1.4	1.3	110	<i>12e-1/2e4</i>	avg NEWUOA [31]
BayEDAcG	47	51	49	31e-1/2e3	BayEDAcG [10]
BFGS	1.7	1.9	2.1	5.8	<i>90e-2/2e4</i>	BFGS [30]
Cauchy EDA	310	330	340	27e-1/5e4	Cauchy EDA [24]
BIPOP-CMA-ES	4.7	4.4	4.3	9.2	1	1	1	1	1	1	1	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	3.5	3.6	3.4	21	<i>11e-1/1e4</i>	(1+1)-CMA-ES [2]
DASA	22	21	20	2.1	<i>40e-2/1e6</i>	DASA [19]
DEPSO	15	16	15	21e-1/2e3	DEPSO [12]
DIRECT	17	36	31	18e-1/5e3	DIRECT [25]
EDA-PSO	210	230	230	15	<i>63e-2/1e5</i>	EDA-PSO [6]
full NEWUOA	4.2	3.4	3.1	64	<i>12e-1/1e4</i>	full NEWUOA [31]
G3-PCX	5.6	5.4	5	12e-1/5e4	G3-PCX [26]
simple GA	470	520	500	2.8	<i>32e-2/1e5</i>	simple GA [22]
GLOBAL	6.6	5.6	5.2	1.6	<i>99e-2/4e3</i>	GLOBAL [23]
iAMaLgAM IDEA	14	14	14	240	<i>88e-2/1e6</i>	iAMaLgAM IDEA [4]
LSfminbd	11	11	11	5.9	<i>97e-2/1e4</i>	LSfminbd [28]
LSstep	230	260	280	11	<i>10e-1/1e4</i>	LSstep [28]
MA-LS-Chain	8	9.7	9.4	3.3	4.8	<i>24e-2/1e5</i>	MA-LS-Chain [21]
MCS (Neum)	5.9	5.4	4.7	12	<i>12e-1/4e3</i>	MCS (Neum) [18]
NELDER (Han)	3.1	3.4	3.5	13e-1/1e4	NELDER (Han) [16]
NELDER (Doe)	1.9	2.1	2.2	28	<i>11e-1/2e4</i>	NELDER (Doe) [5]
NEWUOA	1	1	1	15	<i>10e-1/2e4</i>	NEWUOA [31]
(1+1)-ES	3.4	3.2	3.1	110	<i>88e-2/1e6</i>	(1+1)-ES [1]
POEMS	130	120	120	1	<i>30e-2/1e5</i>	POEMS [20]
PSO	12	15	17	50	<i>11e-1/1e5</i>	PSO [7]
PSO-Bounds	66	79	86	11	<i>53e-2/1e5</i>	PSO-Bounds [8]
Monte Carlo	1.7e6	15e+2/1e6	Monte Carlo [3]
Rosenbrock	3	2.7	2.6	2.9	<i>97e-2/1e4</i>	Rosenbrock [27]
IPOP-SEP-CMA-ES	4.4	4.7	4.5	13	<i>11e-1/1e4</i>	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	8.1	7.7	7.1	1.1	<i>30e-2/1e7</i>	VNS (Garcia) [11]

Table 21: 20-D, running time excess ERT/ERT_{best} on f_{21} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δf_{target}	$1e+03$	$1e+02$	$1e+01$	$1e+00$	$1e-01$	$1e-02$	$1e-03$	$1e-04$	$1e-05$	$1e-07$	Δf_{target}
	ERT_{best}/D	0.05	0.05	28.1	327	705	716	732	754	778	879	ERT_{best}/D
ALPS	ALPS [17]	1	1	14	13	7	7.7	8.3	9.2	9.8	11	ALPS [17]
AMaLgAM IDEA	AMaLgAM IDEA [4]	1	1	51	2400	1500	1500	1500	1500	1400	1300	AMaLgAM IDEA [4]
avg NEWUOA	avg NEWUOA [31]	1	1	3.2	5.7	3.5	3.5	3.4	3.3	3.3	2.9	avg NEWUOA [31]
BayEDAeG	BayEDAeG [10]	1	1	55	60e-1/2e3	7.3	BayEDAeG [10]
BFGS	BFGS [30]	1	1	1.9	5.5	4.6	4.6	4.5	4.4	4.3	7.3	BFGS [30]
Cauchy EDA	Cauchy EDA [24]	1	1	1e3	32e-1/5e4	Cauchy EDA [24]
BIPOP-CMA-ES	BIPOP-CMA-ES [15]	1	1	3.2	55	48	47	46	45	43	39	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	(1+1)-CMA-ES [2]	1	1	3.6	7.6	5.8	5.7	5.6	5.4	5.3	4.7	(1+1)-CMA-ES [2]
DASA	DASA [19]	1	1	240	100	100	100	99	96	93	83	DASA [19]
DEPSO	DEPSO [12]	1	1	22	13	8.3	8.6	8.9	9.3	19	20e-1/2e3	DEPSO [12]
DIRECT	DIRECT [25]	1	1	3.3	27	19e-1/5e3	DIRECT [25]
EDA-PSO	EDA-PSO [6]	1	1	35	850	570	560	550	530	520	460	EDA-PSO [6]
full NEWUOA	full NEWUOA [31]	1	1	7.4	3.4	4.5	4.5	4.4	4.2	4.1	3.7	full NEWUOA [31]
G3-PCX	G3-PCX [26]	1	1	12	7.2	5.1	5	4.9	4.8	4.6	4.1	G3-PCX [26]
simple GA	simple GA [22]	1	1	90	620	400	400	900	890	20e-1/1e5	.	simple GA [22]
GLOBAL	GLOBAL [23]	1	1	1	1	1	1	1	1	1	2.1	GLOBAL [23]
iAMaLgAM IDEA	iAMaLgAM IDEA [4]	1	1	10	670	540	540	530	520	540	490	iAMaLgAM IDEA [4]
LSfminbd	LSfminbd [28]	1	1	30	27	20	20	19	19	18	16	LSfminbd [28]
LSstep	LSstep [28]	1	1	120	200	200	200	200	190	190	170	LSstep [28]
MA-LS-Chain	MA-LS-Chain [21]	1	1	140	310	230	230	220	210	210	180	MA-LS-Chain [21]
MCS (Neum)	MCS (Neum) [18]	1	1	26	32	26	25	25	24	23	32	MCS (Neum) [18]
NELDER (Han)	NELDER (Han) [16]	1	1	7.7	20	24	24	23	23	22	20	NELDER (Han) [16]
NELDER (Doe)	NELDER (Doe) [5]	1	1	7.6	4	2	2.1	2.1	2	2	1.8	NELDER (Doe) [5]
NEWUOA	NEWUOA [31]	1	1	1.7	2.2	1.2	1.2	1.2	1.1	1.1	1	NEWUOA [31]
(1+1)-ES	(1+1)-ES [1]	1	1	8.3	13	9.4	9.3	9.1	8.8	8.6	7.6	(1+1)-ES [1]
POEMS	POEMS [20]	1	1	2500	67e-1/1e5	POEMS [20]
PSO	PSO [7]	1	1	1800	4300	2e3	2e3	1900	1900	1800	1600	PSO [7]
PSO_Bounds	PSO_Bounds [8]	1	1	560	1200	2e3	2e3	1900	1900	1800	1600	PSO_Bounds [8]
Monte Carlo	Monte Carlo [3]	1	1	26e+0/1e6	Monte Carlo [3]
Rosenbrock	Rosenbrock [27]	1	1	7.8	7.6	4.7	4.6	4.5	4.4	4.3	3.8	Rosenbrock [27]
IPOP-SEP-CMA-ES	IPOP-SEP-CMA-ES [29]	1	1	15	50	58	57	56	54	53	47	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	VNS (Garcia) [11]	1	1	11	55	29	29	29	28	27	25	VNS (Garcia) [11]

21 Gallagher 101 peaks

Table 22: 20-D, running time excess ERT_{best} on f_{22} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

22 Gallagher 21 peaks

	Δf_{target} ERT _{best} /D	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target} ERT _{best} /D
ALPS	1	0.05	1	19	9.7	79	81	86	110	180	130	ALPS [17]
AMaLgAM IDEA	1	1	1	8.2	1900	<i>69e-2/1e6</i>	AMaLgAM IDEA [4]
avg NEWUOA	1	1	2	5.6	14	14	13	13	12	12	2.4	avg NEWUOA [31]
BayEDA _c G	1	1	34	31	<i>20e-1/2e3</i>	<i>20e-1/2e3</i>	7.9	7.7	7.4	9.5	14	BayEDA _c G [10]
BFGS	1	1	2.5	1.8	8.1	8.1	BFGS [30]
Cauchy EDA	1.1	1.1	470	1200	<i>51e-1/5e4</i>	<i>51e-1/5e4</i>	Cauchy EDA [24]
BIPOP-CMA-ES	1	1	6.8	13	210	210	210	200	190	190	37	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	1	1	3.5	4.2	5.6	5.6	5.5	5.3	5.1	5	1	(1+1)-CMA-ES [2]
DASA	1	1	34	75	220	220	210	210	200	200	40	DASA [19]
DEPSO	1	1	20	16	<i>26e-1/2e3</i>	<i>26e-1/2e3</i>	DEPSO [12]
DIRECT	1	1	9.8	16	<i>71e-2/5e3</i>	<i>71e-2/5e3</i>	DIRECT [25]
EDA-PSO	1	1	1600	1e3	<i>26e-1/1e5</i>	<i>26e-1/1e5</i>	EDA-PSO [6]
full NEWUOA	1	1	2.2	12	60	59	57	57	54	53	11	full NEWUOA [31]
G3-PCX	1	1	11	6.6	23	22	22	22	21	20	4	G3-PCX [26]
simple GA	1	1	110	1500	<i>20e-1/1e5</i>	<i>20e-1/1e5</i>	simple GA [22]
GLOBAL	1	1	1.1	1	1	1	1	1	1	1	1.3	GLOBAL [23]
iAMaLgAM IDEA	1	1	8.1	440	<i>69e-2/1e6</i>	<i>69e-2/1e6</i>	iAMaLgAM IDEA [4]
LSfmnbnd	1	1	59	16	37	36	36	36	35	34	7.2	LSfmnbnd [28]
LSstep	1	1	280	<i>51e-1/1e4</i>	LSstep [28]
MA-LS-Chain	1	1	3.8	810	<i>20e-1/1e5</i>	<i>20e-1/1e5</i>	MA-LS-Chain [21]
MCS (Neum)	1	1	17	20	50	48	47	47	<i>20e-1/4e3</i>	.	.	MCS (Neum) [18]
NELDER (Han)	1	1	17	18	61	59	58	58	55	54	11	NELDER (Han) [16]
NELDER (Doe)	1	1	5.2	6.5	8.3	8.2	8	7.7	7.5	7.5	1.5	NELDER (Doe) [5]
NEWUOA	1	1	1	4.9	6.8	6.6	6.4	6.2	6.2	6	1.2	NEWUOA [31]
(1+1)-ES	1	1	11	5	11	11	11	11	10	10	2.1	(1+1)-ES [1]
POEMS	1	1	2300	5e3	<i>51e-1/1e5</i>	<i>51e-1/1e5</i>	POEMS [20]
PSO	1	1	5	410	<i>20e-1/1e5</i>	<i>20e-1/1e5</i>	PSO [7]
PSO_Bounds	1	1	680	730	1200	1200	1200	1100	1100	1100	210	PSO_Bounds [8]
Monte Carlo	1	1	6.4e5	<i>30e+0/1e6</i>	Monte Carlo [3]
Rosenbrock	1	1	3.4	4.3	12	12	12	12	11	11	2.2	Rosenbrock [27]
IPOP-SEP-CMA-ES	1	1	6.2	23	<i>69e-2/1e4</i>	<i>69e-2/1e4</i>	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	1	1	14	67	1300	1200	1200	1200	1200	1100	440	VNS (Garcia) [11]

Table 23: 20-D, running time excess ERT/ERT_{best} on f_{23} , in italics is given the median n al function value and the median number of function evaluations to reach this value divided by dimension

		23 Katsuuras										
Δf_{target}	ERT_{best}/D	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δf_{target}
		0.05	0.05	0.16	80.7	3370	18300	24400	25500	40600	41900	ERT_{best}/D
ALPS	ALPS [17]	1	1	1.9	82	29e-2/2e5	1	1	1	1	1	ALPS [17]
AMaLGaM IDEA	AMaLGaM IDEA [4]	1	1	1.7	23	1.1	1	1	1	1	1	AMaLGaM IDEA [4]
avg NEWUOA	avg NEWUOA [31]	1	1	1.5	4.7	20e-2/2e4						avg NEWUOA [31]
BayEDAeG	BayEDAeG [10]	1	1	1.6	23e-1/2e3							BayEDAeG [10]
BFGS	BFGS [30]	1	1	4.7	300	13e-1/5e3						BFGS [30]
Cauchy EDA	Cauchy EDA [24]	1	1	1.9	19e-1/5e4							Cauchy EDA [24]
BIPOP-CMA-ES	BIPOP-CMA-ES [15]	1	1	4.3	32	1	1.7	2	1.9	1.2	1.2	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	(1+1)-CMA-ES [2]	1	1	5.8	9.1	37e-2/1e4						(1+1)-CMA-ES [2]
DASA	DASA [19]	1	1	3.4	64	31e-2/1e6						DASA [19]
DEPSO	DEPSO [12]	1	1	1.6	26e-1/2e3							DEPSO [12]
DIRECT	DIRECT [25]	1	1	4.1	52	38e-2/5e3						DIRECT [25]
EDA-PSO	EDA-PSO [6]	1	1	2.1	16e-1/1e5							EDA-PSO [6]
full NEWUOA	full NEWUOA [31]	1	1	1.4	7	44	25e-2/1e4					full NEWUOA [31]
G3-PCX	G3-PCX [26]	1	1	2.8	7.8	30e-2/3e4						G3-PCX [26]
simple GA	simple GA [22]	1	1	1.7	4600	12e-1/1e5						simple GA [22]
GLOBAL	GLOBAL [23]	1	1	2.8	1	43e-2/500						GLOBAL [23]
iAMaLGaM IDEA	iAMaLGaM IDEA [4]	1	1	1.9	5.4	1.6	2.3	5.1	5.2	3.3	3.2	iAMaLGaM IDEA [4]
LSfminbd	LSfminbd [28]	1	1	4.4	210	10e-1/1e4						LSfminbd [28]
LSstep	LSstep [28]	1	1	2.2	81	91e-2/1e4						LSstep [28]
MA-LS-Chain	MA-LS-Chain [21]	1	1	1.8	7.1	8.9	61e-3/1e5					MA-LS-Chain [21]
MCS (Neum)	MCS (Neum) [18]	1	1	1.3	120	11e-1/4e3						MCS (Neum) [18]
NELDER (Han)	NELDER (Han) [16]	1	1	2.1	3.3	43	20e-2/1e4					NELDER (Han) [16]
NELDER (Doe)	NELDER (Doe) [5]	1	1	1.9	1.4	86	17e-2/2e4					NELDER (Doe) [5]
NEWUOA	NEWUOA [31]	1	1	1.2	3.5	32	39e-2/8e3					NEWUOA [31]
(1+1)-ES	(1+1)-ES [1]	1	1	2.7	32	31e-2/1e6						(1+1)-ES [1]
POEMS	POEMS [20]	1	1	2.3	42	13	59e-3/1e5					POEMS [20]
PSO	PSO [7]	1	1	2.2	1600	95e-2/1e5						PSO [7]
PSO_Bounds	PSO_Bounds [8]	1	1	3	8400	12e-1/1e5						PSO_Bounds [8]
Monte Carlo	Monte Carlo [3]	1	1	2.6	5.5e4	11e-1/1e6						Monte Carlo [3]
Rosenbrock	Rosenbrock [27]	1	1	1.7	4.6	50e-2/4e3						Rosenbrock [27]
IPOP-SEP-CMA-ES	IPOP-SEP-CMA-ES [29]	1	1	4.9	18	81e-3/1e4						IPOP-SEP-CMA-ES [29]
VNS (Garcia)	VNS (Garcia) [11]	1	1	1	25	10	1700	23e-3/2e6				VNS (Garcia) [11]

Table 24: 20-D, running time excess ERT/ERT_{best} on f_{24} , in italics is given the median function value and the median number of function evaluations to reach this value divided by dimension

	Δ target ERT _{best} /D	1e+03	1e+02	1e+01	1e+00	1e-01	1e-02	1e-03	1e-04	1e-05	1e-07	Δ target ERT _{best} /D
ALPS	1	331	5.7	22e+0/2e5	3.74e5	2.6e6	2.6e6	2.6e6	2.6e6	2.6e6	2.6e6	ALPS [17]
AMaLgAM IDEA	1.1	4.2	5.1	19	<i>23e-1/1e6</i>	AMaLgAM IDEA [4]
avg NEWUOA	1.4	3.3	74e+0/1e4	avg NEWUOA [31]
BayEDAacG	1	44	11e+1/2e3	BayEDAacG [10]
BFGS	8	31e+1/6e3	BFGS [30]
Cauchy EDA	1.7	76	91e+0/5e4	Cauchy EDA [24]
BIPOP-CMA-ES	1	5.5	1	1	1	1	1	1	1	1	1	BIPOP-CMA-ES [15]
(1+1)-CMA-ES	1	24	90e+0/1e4	(1+1)-CMA-ES [2]
DASA	1.1	16e+1/1e6	DASA [19]
DEPSO	1.1	14e+1/2e3	DEPSO [12]
DIRECT	1	15e+1/5e3	DIRECT [25]
EDA-PSO	1.1	28	86e+0/1e5	EDA-PSO [6]
full NEWUOA	3.7	4.5	71e+0/1e4	full NEWUOA [31]
G3-PCX	1.1	190	11e+1/5e4	G3-PCX [26]
simple GA	1.1	35	42e+0/1e5	simple GA [22]
GLOBAL	1	21e+1/1e3	GLOBAL [23]
iAMaLgAM IDEA	1.1	1.3	28	<i>21e-1/1e6</i>	iAMaLgAM IDEA [4]
LSfminbnd	7.1	15e+1/1e4	LSfminbnd [28]
LSstep	3.1	210	19e+1/1e4	LSstep [28]
MA-LS-Chain	1.1	2.1	42	<i>25e+0/1e5</i>	MA-LS-Chain [21]
MCS (Neum)	1	12	10e+1/4e3	MCS (Neum) [18]
NELDER (Han)	1	49	10e+1/1e4	NELDER (Han) [16]
NELDER (Doe)	1	3.7	50e+0/2e4	NELDER (Doe) [5]
NEWUOA	6.5	4.3	83e+0/8e3	NEWUOA [31]
(1+1)-ES	4.1	3100	93e+0/1e6	(1+1)-ES [1]
POEMS	2.7	10	46e+0/1e5	POEMS [20]
PSO	1	63	60e+0/1e5	PSO [7]
PSO_Bounds	1.1	81	66e+0/1e5	PSO_Bounds [8]
Monte Carlo	1	26e+1/1e6	Monte Carlo [3]
Rosenbrock	1.4	37e+1/1e4	Rosenbrock [27]
IPOP-SEP-CMA-ES	1	1	1	<i>23e+0/1e4</i>	IPOP-SEP-CMA-ES [29]
VNS (Garcia)	1	1.8	68	<i>88e-1/1e7</i>	VNS (Garcia) [11]

References

- [1] Anne Auger. Benchmarking the (1+1) evolution strategy with one- fth success rule on the BBOB-2009 function testbed. In Rothlauf [32], pages 2447{2452.
- [2] Anne Auger and Nikolaus Hansen. Benchmarking the (1+1)-CMA-ES on the BBOB-2009 function testbed. In Rothlauf [32], pages 2459{2466.
- [3] Anne Auger and Raymond Ros. Benchmarking the pure random search on the BBOB-2009 testbed. In Rothlauf [32], pages 2479{2484.
- [4] Peter A. N. Bosman, Jörn Grahl, and Dirk Thierens. AMaLGaM IDEAs in noiseless black-box optimization benchmarking. In Rothlauf [32], pages 2247{2254.
- [5] Benjamin Doerr, Mahmoud Fouz, Martin Schmidt, and Magnus Wahlström. BBOB: Nelder-mead with resize and halfruns. In Rothlauf [32], pages 2239{2246.
- [6] Mohammed El-Abd and Mohamed S. Kamel. Black-box optimization benchmarking for noiseless function testbed using an EDA and PSO hybrid. In Rothlauf [32], pages 2263{2268.
- [7] Mohammed El-Abd and Mohamed S. Kamel. Black-box optimization benchmarking for noiseless function testbed using particle swarm optimization. In Rothlauf [32], pages 2269{2274.
- [8] Mohammed El-Abd and Mohamed S. Kamel. Black-box optimization benchmarking for noiseless function testbed using PSO.Bounds. In Rothlauf [32], pages 2275{2280.
- [9] S. Finck, N. Hansen, R. Ros, and A. Auger. Real-parameter black-box optimization benchmarking 2009: Presentation of the noiseless functions. Technical Report 2009/20, Research Center PPE, 2009.
- [10] Marcus Gallagher. Black-box optimization benchmarking: results for the BayEDAcG algorithm on the noiseless function testbed. In Rothlauf [32], pages 2281{2286.
- [11] Carlos Garcia-Martinez and Manuel Lozano. A continuous variable neighbourhood search based on specialised EAs: application to the noiseless BBO-benchmark 2009. In Rothlauf [32], pages 2287{2294.
- [12] Jose Garcia-Nieto, Enrique Alba, and Javier Apolloni. Noiseless functions black-box optimization: evaluation of a hybrid particle swarm with differential operators. In Rothlauf [32], pages 2231{2238.
- [13] N. Hansen, A. Auger, S. Finck, and R. Ros. Real-parameter black-box optimization benchmarking 2009: Experimental setup. Technical Report RR-6828, INRIA, 2009.
- [14] N. Hansen, S. Finck, R. Ros, and A. Auger. Real-parameter black-box optimization benchmarking 2009: Noiseless functions definitions. Technical Report RR-6829, INRIA, 2009.

- [15] Nikolaus Hansen. Benchmarking a bi-population CMA-ES on the BBOB-2009 function testbed. In Rothlauf [32], pages 2389{2396.
- [16] Nikolaus Hansen. Benchmarking the nelder-mead downhill simplex algorithm with many local restarts. In Rothlauf [32], pages 2403{2408.
- [17] Gregory S. Hornby. The Age-Layered Population Structure (ALPS) evolutionary algorithm, July 2009. Noiseless testbed.
- [18] Waltraud Huyer and Arnold Neumaier. Benchmarking of MCS on the noiseless function testbed. <http://www.mat.uni-vi.e.ac.at/~neum/papers.html>, 2009. P. 989.
- [19] Peter Korosec and Jurij Silc. A stigmergy-based algorithm for black-box optimization: noiseless function testbed. In Rothlauf [32], pages 2295{2302.
- [20] Jir Kubalik. Black-box optimization benchmarking of prototype optimization with evolved improvement steps for noiseless function testbed. In Rothlauf [32], pages 2303{2308.
- [21] Daniel Molina, Manuel Lozano, and Francisco Herrera. A memetic algorithm using local search chaining for black-box optimization benchmarking 2009 for noise free functions. In Rothlauf [32], pages 2255{2262.
- [22] Miguel Nicolau. Application of a simple binary genetic algorithm to a noiseless testbed benchmark. In Rothlauf [32], pages 2473{2478.
- [23] Laszlo Pal, Tibor Csendes, Mihaly Csaba Markot, and Arnold Neumaier. BBO-benchmarking of the GLOBAL method for the noiseless function testbed. <http://www.mat.uni-vi.e.ac.at/~neum/papers.html>, 2009. P. 986.
- [24] Petr Posik. BBOB-benchmarking a simple estimation of distribution algorithm with Cauchy distribution. In Rothlauf [32], pages 2309{2314.
- [25] Petr Posik. BBOB-benchmarking the DIRECT global optimization algorithm. In Rothlauf [32], pages 2315{2320.
- [26] Petr Posik. BBOB-benchmarking the generalized generation gap model with parent centric crossover. In Rothlauf [32], pages 2321{2328.
- [27] Petr Posik. BBOB-benchmarking the Rosenbrock's local search algorithm. In Rothlauf [32], pages 2337{2342.
- [28] Petr Posik. BBOB-benchmarking two variants of the line-search algorithm. In Rothlauf [32], pages 2329{2336.
- [29] Raymond Ros. Benchmarking sep-CMA-ES on the BBOB-2009 function testbed. In Rothlauf [32], pages 2435{2440.
- [30] Raymond Ros. Benchmarking the BFGS algorithm on the BBOB-2009 function testbed. In Rothlauf [32], pages 2409{2414.
- [31] Raymond Ros. Benchmarking the NEWUOA on the BBOB-2009 function testbed. In Rothlauf [32], pages 2421{2428.

- [32] Franz Rothlauf, editor. *Genetic and Evolutionary Computation Conference, GECCO 2009, Proceedings, Montreal, Québec, Canada, July 8-12, 2009, Companion Material*. ACM, 2009.