

Comparison Tables: BBOB 2015 Testbed in 2-D (Expensive Setting)

The BBOBies

July 16, 2015

Abstract

This document provides tabular results of the workshop on Black-Box Optimization Benchmarking held at GECCO 2015 with a focus on benchmarking black-box algorithms for small function evaluation budgets (“expensive setting”), see <http://coco.gforge.inria.fr/doku.php?id=bbob-2015>. Overall, 18 algorithms have been tested on 24 benchmark functions in dimensions between 2 and 20. Only three of them have been tested on the optional instances in dimension 40. A description of the used objective functions can be found in [7, 5]. The experimental set-up is described in [6].

The performance measure provided in the following tables is the expected number of objective function evaluations to reach a given target function value (ERT, expected running time), divided by the respective value for the best algorithm in BBOB-2009 (see [2]) if an algorithm from BBOB-2009 reached the given target function value. The ERT value is given otherwise (ERT_{best} is noted as infinite). See [6] for details on how ERT is obtained. Bold entries in the table correspond to values below 3 or the top-three best values. Table 1 gives an overview on all algorithms submitted to the noise-free testbed at GECCO 2015.

Table 1: Names and references of all algorithms submitted for the noise-free testbed

algorithm name	short	paper	reference
BSifeg		Dimension Selection in Axis-Parallel Brent-STEP Method for Black-Box Optimization of Separable Continuous Functions	[9]
BSif		Dimension Selection in Axis-Parallel Brent-STEP Method for Black-Box Optimization of Separable Continuous Functions	[9]
BSqi		Dimension Selection in Axis-Parallel Brent-STEP Method for Black-Box Optimization of Separable Continuous Functions	[9]
BSrr		Dimension Selection in Axis-Parallel Brent-STEP Method for Black-Box Optimization of Separable Continuous Functions	[9]
CMA-CSA		Benchmarking IPOP-CMA-ES-TPA and IPOP-CMA-ES-MSR on the BBOB Noiseless Testbed	[1]
CMA-MSR		Benchmarking IPOP-CMA-ES-TPA and IPOP-CMA-ES-MSR on the BBOB Noiseless Testbed	[1]
CMA-TPA		Benchmarking IPOP-CMA-ES-TPA and IPOP-CMA-ES-MSR on the BBOB Noiseless Testbed	[1]
GP1-CMAES		SBenchmarking Gaussian Processes and Random Forests Surrogate Models on the BBOB Noiseless Testbed	[3]
GP5-CMAES		Benchmarking Gaussian Processes and Random Forests Surrogate Models on the BBOB Noiseless Testbed	[3]
IPOPCMAv3p61		Benchmarking Gaussian Processes and Random Forests Surrogate Models on the BBOB Noiseless Testbed	[3]
LHD-10xDefault-MATSuMoT		The Impact of Initial Designs on the Performance of MATSuMoTo on the Noiseless BBOB-2015 Testbed: A Preliminary Study	[4]
LHD-2xDefault-MATSuMoTo		The Impact of Initial Designs on the Performance of MATSuMoTo on the Noiseless BBOB-2015 Testbed: A Preliminary Study	[4]
RAND-2xDefault-MATSuMoTo		The Impact of Initial Designs on the Performance of MATSuMoTo on the Noiseless BBOB-2015 Testbed: A Preliminary Study	[4]
RF1-CMAES		Benchmarking Gaussian Processes and Random Forests Surrogate Models on the BBOB Noiseless Testbed	[3]
RF5-CMAES		Benchmarking Gaussian Processes and Random Forests Surrogate Models on the BBOB Noiseless Testbed	[3]
Sifeg		Dimension Selection in Axis-Parallel Brent-STEP Method for Black-Box Optimization of Separable Continuous Functions	[9]
Sif		Dimension Selection in Axis-Parallel Brent-STEP Method for Black-Box Optimization of Separable Continuous Functions	[9]
Srr		Dimension Selection in Axis-Parallel Brent-STEP Method for Black-Box Optimization of Separable Continuous Functions	[9]

Table 2: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_1 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f1	<i>1.6e+1</i> :1.2	<i>4.0e+0</i> :2.6	<i>2.5e-2</i> :6.2	<i>1.0e-8</i> :6.2	<i>1.0e-8</i> :6.2	15/15
BSifeg	1.6 (1)	2.2 (2)	1.7 (0.2)	1.7 (0.2)	1.7 (0.3)	15/15
BSif	1.6 (1)	2.2 (2)	1.7 (0.2)	1.7 (0.3)	1.7 (0.2)	15/15
BSqi	1.6 (2)	2.2 (2)	1.7 (0.3)	1.7 (0.2)	1.7 (0.3)	15/15
BSrr	1.6 (2)	2.2 (2)	1.7 (0.3)	1.7 (0.2)	1.7 (0.3)	15/15
CMA-CSA	3.1(5)	3.0(3)	11(6)	42(5)	42(6)	15/15
CMA-MSR	2.7 (1)	4.7(3)	16(11)	69(12)	69(9)	15/15
CMA-TPA	2.8 (4)	4.5(4)	12(7)	44(8)	44(13)	15/15
GP1-CMAES	2.4 (5)	2.5 (2)	6.5(2)	24(4)	24(5)	15/15
GP5-CMAES	3.3(3)	2.7 (2)	3.4(2)	31(14)	31(16)	15/15
IPOPCMAv3p	4.9(4)	4.6(5)	12(7)	43(9)	43(4)	15/15
LHD-10xDef	2.6 (2)	3.8(5)	10(0)	∞	∞ 100	0/15
LHD-2xDefa	2.4 (1)	2.8 (2)	3.3(0.8)	∞	∞ 100	0/15
RAND-2xDef	2.6 (2)	3.4(2)	3.5(0.9)	∞	∞ 100	0/15
RF1-CMAES	3.1(4)	4.2(4)	8.0(3)	86(85)	86(111)	10/15
RF5-CMAES	2.8 (3)	4.7(4)	60(38)	∞	∞ 502	0/15
Sifeg	1.6 (1)	2.2 (2)	2.3 (0.4)	6.3(0.5)	6.3(0.5)	15/15
Sif	1.6 (1)	2.2 (1)	2.4 (0.3)	6.2(0.6)	6.2(0.6)	15/15
Srr	1.6 (1)	2.2 (2)	2.3 (0.2)	5.9(0.5)	5.9(0.5)	15/15

Table 3: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best 2009}}$ on f_2 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best 2009}}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f2	<i>1.0e+7:1.4</i>	<i>1.6e+6:2.7</i>	<i>1.0e+5:6.1</i>	<i>6.3e-1:20</i>	<i>1.0e-8:30</i>	15/15
BSifeg	1.7 (1)	3.1(1)	1.7 (0.2)	1.2 (0.3)	1.2 (0.3)	15/15
BSif	1.7 (1)	3.1(0.4)	1.7 (0.2)	1.1 (0.3)	1.2 (0.1)	15/15
BSqi	1.7 (1)	3.1(0.9)	1.7 (0.2)	0.93 (0.1)	1.1 (0.2)	15/15
BSrr	1.7 (1)	3.1(0)	1.7 (0.3)	1.1 (0.3)	1.3 (0.2)	15/15
CMA-CSA	1.3 (2)	2.8 (3)	3.2(2)	15(4)	19(2)	15/15
CMA-MSR	1.8 (0.5)	2.6 (2)	2.8 (2)	16(3)	24(5)	15/15
CMA-TPA	1.5 (1)	1.2 (0.5)	1.7 (1)	12(5)	17(2)	15/15
GP1-CMAES	2.1 (2)	2.3 (2)	2.2 (2)	13(6)	19(2)	12/15
GP5-CMAES	2.2 (2)	2.2 (2)	1.5 (1)	5.1(2)	9.2(6)	14/15
IPOPCMAv3p	2.3 (2)	3.0 (2)	3.0(2)	17(6)	∞ 506	0/15
LHD-10xDef	1.3 (1)	1.4 (0.8)	2.6 (1)	∞	∞ 100	0/15
LHD-2xDefa	1.0 (0.7)	1.2 (1)	1.7 (1)	∞	∞ 100	0/15
RAND-2xDef	1.3 (2)	1.0 (0.7)	1.3 (1)	∞	∞ 100	0/15
RF1-CMAES	2.5 (3)	2.2 (2)	2.8 (3)	168(242)	∞ 506	0/15
RF5-CMAES	1.8 (1)	2.8 (2)	2.8 (2)	167(194)	∞ 502	0/15
Sifeg	1.7 (1)	3.2(2)	2.0 (0.3)	1.5 (0.3)	1.8 (0.2)	15/15
Sif	1.7 (1)	3.2(1)	2.0 (0.5)	1.4 (0.3)	1.7 (0.3)	15/15
Srr	1.7 (1)	3.2(0.4)	2.0 (0.5)	1.4 (0.2)	1.9 (0.1)	15/15

Table 4: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best 2009}}$ on f_3 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best 2009}}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f3	<i>1.0e+2</i> :1.4	<i>4.0e+1</i> :4.1	<i>2.5e+1</i> :6.6	<i>6.3e+0</i> :26	<i>2.5e+0</i> :112	15/15
BSifeg	2.2 (1)	1.8 (1)	1.4 (0.3)	0.79 (0.6)	0.30 (0.2)	15/15
BSif	2.2 (1)	1.8 (0.7)	1.4 (0.7)	0.77 (0.3)	0.30 (0.2)	15/15
BSqi	2.2 (1)	1.8 (1)	1.4 (0.5)	0.76 (0.5)	0.30 (0.2)	15/15
BSrr	2.2 (0.7)	1.8 (1)	1.4 (0.6)	0.74 (0.6)	0.28 (0.2)	15/15
CMA-CSA	1.8 (1)	2.4 (2)	2.4 (2)	2.2 (1)	2.9 (4)	15/15
CMA-MSR	3.0(3)	2.9 (1)	2.6 (1)	3.3(2)	4.6(9)	15/15
CMA-TPA	2.0 (3)	2.9 (3)	2.9 (2)	6.8(8)	5.5(4)	15/15
GP1-CMAES	2.8 (3)	1.7 (2)	2.6 (2)	2.2 (1)	2.9 (4)	11/15
GP5-CMAES	2.0 (1)	1.9 (2)	4.0(1)	5.8(7)	2.3 (2)	13/15
IPOPCMAv3p	1.6 (0.9)	1.4 (1.0)	1.6 (0.8)	2.6 (1)	3.2(2)	10/15
LHD-10xDef	1.9 (3)	1.6 (2)	1.7 (1)	3.0(2)	1.5 (0.8)	8/15
LHD-2xDefa	1.6 (0.4)	1.2 (1)	1.4 (1)	1.0 (0.7)	0.67 (0.8)	11/15
RAND-2xDef	1.8 (2)	1.1 (0.7)	1.9 (1)	2.4 (1)	1.4 (2)	7/15
RF1-CMAES	1.7 (2)	11(1)	7.2(2)	9.0(6)	5.6(6)	7/15
RF5-CMAES	2.2 (3)	2.4 (2)	14(2)	15(15)	6.5(8)	7/15
Sifeg	2.2 (2)	1.8 (1)	1.5 (0.9)	1.1 (0.5)	0.30 (0.2)	15/15
Sif	2.2 (2)	1.8 (1)	1.5 (0.7)	1.1 (0.5)	0.34 (0.2)	15/15
Srr	2.2 (1)	1.8 (1)	1.5 (1)	1.1 (0.4)	0.31 (0.1)	15/15

Table 5: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best 2009}}$ on f_4 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best 2009}}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f4	<i>6.3e+1:2.4</i>	<i>4.0e+1:5.2</i>	<i>2.5e+1:8.5</i>	<i>1.0e+1:22</i>	<i>2.5e+0:120</i>	5/5
BSifeg	1.8 (1)	1.1 (0.9)	1.1 (0.3)	0.91 (0.4)	0.42 (0.3)	15/15
BSif	1.8 (2)	1.1 (0.8)	1.1 (0.5)	0.91 (0.6)	0.42 (0.3)	15/15
BSqi	1.8 (2)	1.1 (0.9)	1.1 (0.5)	0.98 (0.4)	0.45 (0.3)	15/15
BSrr	1.8 (2)	1.1 (1.0)	1.1 (0.6)	0.93 (0.4)	0.42 (0.3)	15/15
CMA-CSA	1.9 (2)	2.3 (2)	2.4 (1)	2.3 (2)	4.3(7)	15/15
CMA-MSR	3.2(2)	2.6 (2)	2.3 (2)	6.1(20)	11(13)	15/15
CMA-TPA	3.3(4)	1.9 (0.7)	2.5 (2)	2.9 (4)	6.4(9)	15/15
GP1-CMAES	2.5 (2)	1.9 (2)	2.3 (2)	2.2 (1)	4.6(3)	8/15
GP5-CMAES	3.2(3)	2.1 (3)	10(15)	6.4(3)	3.8(3)	9/15
IPOPCMAv3p	2.9 (3)	2.2 (2)	2.8 (3)	2.9 (3)	5.0(10)	8/15
LHD-10xDef	1.7 (4)	1.7 (1)	2.0 (3)	2.7 (3)	1.9 (2)	6/15
LHD-2xDefa	1.5 (1)	1.9 (1)	2.0 (1)	1.8 (1)	1.7 (1)	6/15
RAND-2xDef	2.2 (1)	1.6 (0.8)	1.2 (0.8)	1.7 (2)	2.1 (1.0)	5/15
RF1-CMAES	2.1 (2)	2.3 (3)	2.1 (2)	3.3(3)	28(27)	2/15
RF5-CMAES	17(2)	8.6(1)	12(16)	16(22)	28(26)	2/15
Sifeg	1.8 (1)	1.2 (1.0)	1.3 (0.2)	0.96 (0.3)	0.50 (0.3)	15/15
Sif	1.8 (2)	1.2 (1)	1.3 (0.9)	0.95 (0.1)	0.52 (0.3)	15/15
Srr	1.8 (2)	1.2 (1)	1.2 (0.3)	0.96 (0.6)	0.51 (0.1)	15/15

Table 6: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best 2009}}$ on f_5 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best 2009}}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D |

Table 7: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best 2009}}$ on f_6 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best 2009}}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f6	<i>6.3e+4</i> :1.4	<i>1.0e+2</i> :2.8	<i>1.6e+1</i> :10	<i>1.0e+0</i> :23	<i>2.5e-6</i> :103	15/15
BSifeg	1.3 (1)	2.0 (3)	245(513)	416(421)	2668(4813)	1/15
BSif	1.3 (1)	2.1 (3)	307(617)	442(1192)	∞ 2e4	0/15
BSqi	1.3 (1)	2.0 (1)	355(776)	344(686)	2671(5134)	1/15
BSrr	1.3 (1)	2.0 (1)	341(56)	403(547)	1293(1193)	2/15
CMA-CSA	1.6 (2)	3.6(5)	3.1(2)	4.3 (4)	4.2 (0.8)	15/15
CMA-MSR	1.8 (2)	2.3 (3)	2.4 (1)	5.3(3)	5.2(0.8)	15/15
CMA-TPA	1.3 (0.4)	1.2 (1)	1.2 (2)	3.6 (3)	3.8 (0.7)	15/15
GP1-CMAES	2.4 (3)	3.1(5)	2.8 (2)	4.9(0.7)	∞ 506	0/15
GP5-CMAES	1.1 (0.4)	2.3 (7)	2.3 (2)	9.2(15)	∞ 506	0/15
IPOPCMAv3p	1.5 (2)	2.7 (2)	2.6 (5)	4.6 (2)	4.8 (4)	13/15
LHD-10xDef	1.3 (1)	1.5 (2)	1.3 (1)	9.0(12)	∞ 100	0/15
LHD-2xDefa	1.1 (0)	1.9 (2)	1.5 (0.9)	12(16)	∞ 100	0/15
RAND-2xDef	1.4 (0.7)	1.9 (2)	1.2 (0.7)	6.3(8)	∞ 100	0/15
RF1-CMAES	1.8 (0.7)	2.3 (2)	5.5(14)	67(146)	∞ 506	0/15
RF5-CMAES	1.5 (0.9)	3.2(5)	4.8(6)	40(35)	∞ 508	0/15
Sifeg	1.3 (1)	2.3 (4)	333(47)	271(534)	2624(3800)	1/15
Sif	1.3 (1)	2.3 (4)	355(1172)	318(750)	2659(2915)	1/15
Srr	1.3 (1)	2.1 (3)	319(1229)	242(376)	1251(1158)	2/15

Table 8: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best 2009}}$ on f_7 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best 2009}}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f7	<i>4.0e+2</i> :1.6	<i>1.0e+1</i> :3.2	<i>2.5e+0</i> :14	<i>1.6e+0</i> :21	<i>1.6e-2</i> :188	15/15
BSifeg	1.3 (0.5)	1.7 (1)	135(216)	376(318)	698(696)	2/15
BSif	1.3 (0.6)	1.7 (1)	173(395)	376(1149)	252(216)	5/15
BSqi	1.3 (1)	1.7 (1)	206(466)	256(513)	355(565)	4/15
BSrr	1.3 (1)	1.7 (1)	268(467)	543(2200)	331(424)	4/15
CMA-CSA	1.3 (0.6)	4.0(3)	3.6(2)	3.5(10)	1.1 (1)	15/15
CMA-MSR	1.7 (2)	4.4(5)	2.0 (3)	1.6 (2)	1.0 (0.3)	15/15
CMA-TPA	1.1 (0.3)	3.7(3)	2.5 (2)	1.9 (2)	0.80 (0.8)	15/15
GP1-CMAES	1.4 (1)	4.2(1)	2.1 (0.9)	1.9 (2)	1.0 (0.4)	14/15
GP5-CMAES	0.67 (0.2)	3.3(3)	2.0 (3)	2.0 (3)	0.98 (0.3)	14/15
IPOPCMAv3p	1.9 (0.9)	3.9(8)	2.5 (3)	3.6(4)	1.7 (1)	13/15
LHD-10xDef	1.2 (1)	7.6(5)	3.0 (2)	2.6 (2)	∞ 100	0/15
LHD-2xDefa	1 (0.3)	3.0(2)	1.2 (0.9)	1.0 (0.8)	1.3 (1)	5/15
RAND-2xDef	1.7 (1)	3.8(1)	1.2 (0.4)	1.2 (1)	1.1 (2)	6/15
RF1-CMAES	1.5 (1)	4.1(1)	2.0 (2)	2.7 (2)	2.2 (2)	11/15
RF5-CMAES	1.6 (2)	3.8(4)	2.5 (2)	3.5(2)	13(15)	3/15
Sifeg	1.3 (0.3)	1.8 (2)	68(180)	256(954)	444(405)	3/15
Sif	1.3 (0.9)	1.8 (2)	78(36)	204(440)	485(501)	3/15
Srr	1.3 (0.6)	1.8 (1)	135(144)	287(367)	473(349)	3/15

Table 9: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best 2009}}$ on f_8 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best 2009}}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f8	<i>2.5e+3</i> :1.2	<i>1.0e+2</i> :3.2	<i>6.3e+0</i> :7.0	<i>1.6e-1</i> :27	<i>1.6e-6</i> :100	15/15
BSifeg	1.9 (3)	1.9 (1)	4.0(3)	2208(3277)	∞ 2e4	0/15
BSif	1.9 (0.4)	1.9 (1)	4.2(8)	2303(3150)	∞ 2e4	0/15
BSqi	1.9 (2)	1.9 (1)	4.1(8)	1323(2706)	∞ 2e4	0/15
BSrr	1.9 (2)	1.9 (1)	4.9(5)	2159(3507)	∞ 2e4	0/15
CMA-CSA	3.5(2)	3.8(3)	8.4(6)	12(11)	5.9 (3)	15/15
CMA-MSR	2.1 (0.6)	1.7 (0.9)	7.3(3)	10(8)	5.8 (2)	15/15
CMA-TPA	5.2(2)	4.6(3)	4.8(4)	6.9 (4)	4.0 (0.9)	15/15
GP1-CMAES	2.2 (2)	2.6 (5)	5.0(2)	9.1(6)	10(6)	7/15
GP5-CMAES	2.6 (2)	2.6 (2)	3.8 (6)	11(20)	6.6(6)	9/15
IPOPCMAv3p	3.6(3)	4.0(5)	5.1(4)	7.8 (12)	8.7(12)	8/15
LHD-10xDef	2.4 (2)	3.9(8)	6.0(5)	13(12)	∞ 100	0/15
LHD-2xDefa	1.6 (2)	2.4 (2)	3.0 (2)	5.1 (2)	∞ 100	0/15
RAND-2xDef	2.4 (2)	3.5(1)	3.2 (1)	10(6)	∞ 100	0/15
RF1-CMAES	3.2(3)	3.1(2)	9.1(19)	17(10)	∞ 506	0/15
RF5-CMAES	3.1(3)	22(82)	39(55)	78(92)	∞ 506	0/15
Sifeg	1.9 (2)	2.0 (2)	4.1(6)	933(701)	∞ 2e4	0/15
Sif	1.9 (3)	2.0 (0.6)	4.3(5)	975(1446)	∞ 2e4	0/15
Srr	1.9 (2)	2.0 (1)	3.8(0.4)	1348(1373)	∞ 2e4	0/15

Table 10: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_9 for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

Table 11: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{10} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f10	<i>1.6e+6</i> :2.0	<i>4.0e+5</i> :3.2	<i>6.3e+2</i> :8.8	<i>1.0e+1</i> :30	<i>2.5e-8</i> :101	15/15
BSifeg	2.7 (2)	2.5 (0.2)	1.5 (0.5)	38(59)	∞ <i>5883</i>	0/15
BSif	2.7 (2)	2.5 (0.7)	1.5 (0.5)	71(116)	∞ <i>8444</i>	0/15
BSqi	2.7 (2)	2.5 (2)	1.5 (0.5)	135(10)	∞ <i>1e4</i>	0/15
BSrr	2.7 (2)	2.5 (0.2)	1.5 (0.5)	46(108)	∞ <i>6681</i>	0/15
CMA-CSA	3.7(4)	3.3(4)	7.2(3)	7.5(4)	5.3 (0.9)	15/15
CMA-MSR	2.1 (2)	2.3 (2)	7.0(5)	7.4(4)	6.8(0.6)	15/15
CMA-TPA	3.4(4)	2.8 (3)	5.9(5)	6.3 (3)	5.3(1)	15/15
GP1-CMAES	1.5 (2)	1.5 (0.5)	4.4(3)	4.6 (3)	5.2 (2)	12/15
GP5-CMAES	2.2 (2)	2.2 (2)	2.2 (0.9)	1.6 (0.6)	2.5 (0.9)	14/15
IPOPCMAv3p	2.6 (3)	2.7 (2)	6.8(3)	8.3(7)	∞ <i>506</i>	0/15
LHD-10xDef	1.7 (1)	1.6 (2)	7.9(1)	16(9)	∞ <i>100</i>	0/15
LHD-2xDefa	1.7 (2)	2.2 (1)	3.8(2)	6.9(7)	∞ <i>100</i>	0/15
RAND-2xDef	2.7 (3)	2.7 (2)	3.9(1)	10(9)	∞ <i>100</i>	0/15
RF1-CMAES	2.3 (3)	2.2 (2)	4.2(1)	19(25)	∞ <i>506</i>	0/15
RF5-CMAES	3.4(2)	2.9 (2)	8.7(6)	14(18)	∞ <i>502</i>	0/15
Sifeg	2.7 (2)	2.8 (1)	1.9 (0.3)	8.6(12)	∞ <i>2159</i>	0/15
Sif	2.7 (2)	2.8 (2)	1.9 (0.4)	12(17)	∞ <i>2178</i>	0/15
Srr	2.7 (2)	2.8 (1)	1.9 (0.3)	7.9(0.1)	∞ <i>2193</i>	0/15

Table 12: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{11} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f11	<i>1.0e+7</i> :1.1	<i>1.6e+6</i> :3.2	<i>1.0e+4</i> :6.6	<i>4.0e+1</i> :23	<i>4.0e-8</i> :100	15/15
BSifeg	1.2 (0)	1.6 (1)	1.4 (0.3)	47(49)	∞ <i>6926</i>	0/15
BSif	1.2 (0.5)	1.6 (1)	1.4 (0.3)	39(23)	∞ <i>5430</i>	0/15
BSqi	1.2 (0)	1.6 (1)	1.4 (0.3)	71(92)	∞ <i>5998</i>	0/15
BSrr	1.2 (0.5)	1.6 (1)	1.4 (0.6)	40(109)	∞ <i>6000</i>	0/15
CMA-CSA	1.6 (0.2)	1.3 (1)	3.5(3)	4.7(5)	5.2 (0.8)	15/15
CMA-MSR	1.1 (0.9)	0.96 (1)	3.8(5)	5.3(0.8)	6.6(0.6)	15/15
CMA-TPA	1.9 (2)	1.5 (1)	4.2(3)	6.0(3)	5.3(0.4)	15/15
GP1-CMAES	2.2 (4)	1.6 (2)	3.4(3)	3.6 (3)	4.7 (0.8)	14/15
GP5-CMAES	3.6(4)	1.8 (2)	2.2 (0.9)	1.3 (0.4)	2.4 (0.7)	15/15
IPOPCMAv3p	3.1(2)	1.9 (1)	3.7(1)	4.3(2)	∞ <i>506</i>	0/15
LHD-10xDef	1.5 (0.7)	1.3 (0.8)	4.9(5)	11(7)	∞ <i>100</i>	0/15
LHD-2xDefa	1.7 (1)	1.3 (0.9)	2.5 (1)	5.6(8)	∞ <i>100</i>	0/15
RAND-2xDef	1.8 (1)	1.2 (1)	2.7 (2)	3.0 (0.5)	∞ <i>100</i>	0/15
RF1-CMAES	2.7 (4)	2.9 (5)	4.9(4)	5.5(7)	∞ <i>506</i>	0/15
RF5-CMAES	1.7 (0.9)	2.2 (3)	3.8(3)	6.4(12)	∞ <i>508</i>	0/15
Sifeg	1.2 (1)	1.7 (1)	1.7 (1.0)	10(6)	∞ <i>2391</i>	0/15
Sif	1.2 (1)	1.7 (1)	1.7 (0.6)	10(29)	∞ <i>2405</i>	0/15
Srr	1.2 (0.5)	1.7 (1)	1.7 (0.8)	11(11)	∞ <i>2357</i>	0/15

Table 14: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{13} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f13	<i>4.0e+2</i> :1.6	<i>2.5e+2</i> :3.1	<i>6.3e+1</i> :8.7	<i>1.0e+1</i> :23	<i>4.0e-6</i> :100	15/15
BSifeg	2.3 (2)	1.6 (1)	184(1215)	541(602)	∞ <i>2e4</i>	0/15
BSif	2.3 (2)	1.6 (1)	224(780)	789(712)	∞ <i>2e4</i>	0/15
BSqi	2.3 (2)	1.6 (1)	252(879)	430(542)	∞ <i>2e4</i>	0/15
BSrr	2.3 (2)	1.6 (1)	184(0.7)	491(498)	∞ <i>2e4</i>	0/15
CMA-CSA	2.5 (2)	2.1 (1)	2.8 (3)	2.9 (3)	5.0 (0.5)	15/15
CMA-MSR	2.8 (5)	2.1 (2)	4.1(4)	3.7(1)	6.2 (1)	15/15
CMA-TPA	2.8 (3)	2.5 (2)	3.5(5)	4.5(3)	5.3 (0.6)	15/15
GP1-CMAES	1.6 (2)	1.4(1)	1.9 (2)	2.7 (2)	24(20)	3/15
GP5-CMAES	2.4 (3)	1.9 (3)	5.5(1)	3.8(2)	11(4)	6/15
IPOPCMAv3p	2.2 (3)	1.8 (2)	2.6 (2)	3.9(2)	∞ <i>506</i>	0/15
LHD-10xDefa	2.0 (1)	2.2 (2)	2.8 (2)	2.9 (1)	∞ <i>100</i>	0/15
LHD-2xDefa	1.7 (2)	1.5 (0.6)	1.4 (0.7)	1.4 (0.8)	∞ <i>100</i>	0/15
RAND-2xDef	1.6 (1)	1.8 (2)	1.7 (0.8)	1.4 (0.8)	∞ <i>100</i>	0/15
RF1-CMAES	2.1 (0.9)	1.8 (3)	2.2 (2)	7.9(7)	∞ <i>506</i>	0/15
RF5-CMAES	2.6 (2)	2.1 (1)	1.9 (3)	11(33)	∞ <i>508</i>	0/15
Sifeg	2.3 (2)	1.6 (1)	178(899)	563(826)	∞ <i>2e4</i>	0/15
Sif	2.3 (2)	1.6 (1)	258(1006)	410(561)	∞ <i>2e4</i>	0/15
Srr	2.3 (2)	1.6 (1.0)	278(884)	428(499)	∞ <i>2e4</i>	0/15

Table 15: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{14} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f14	<i>1.6e+1:1.4</i>	<i>2.5e+0:4.2</i>	<i>1.0e+0:7.4</i>	<i>2.5e-2:21</i>	<i>1.0e-8:101</i>	15/15
BSifeg	2.0 (3)	12(11)	8.5(20)	7.3(22)	∞ <i>2e4</i>	0/15
BSif	2.0 (3)	12(20)	8.7(11)	6.8(12)	∞ <i>2e4</i>	0/15
BSqi	2.0 (3)	7.4(15)	5.7(7)	4.2(4)	∞ <i>2e4</i>	0/15
BSrr	2.0 (2)	11(24)	8.4(13)	6.2(6)	∞ <i>2e4</i>	0/15
CMA-CSA	1.3 (0.7)	1.7 (1)	1.9 (2)	4.1(2)	5.5 (0.9)	15/15
CMA-MSR	2.1 (2)	2.4 (1.0)	2.8 (2)	6.0(2)	6.5 (0.7)	15/15
CMA-TPA	2.4 (1)	3.5(4)	3.5(2)	5.8(2)	5.8 (0.8)	15/15
GP1-CMAES	0.95 (1)	2.2 (0.6)	1.9 (2)	2.5 (0.7)	∞ <i>506</i>	0/15
GP5-CMAES	1.9 (3)	2.9 (2)	2.3 (1)	1.7 (0.8)	∞ <i>506</i>	0/15
IPOPCMAv3p	1.2 (0.7)	3.3(2)	3.1(2)	3.8(1)	∞ <i>506</i>	0/15
LHD-10xDef	1.4 (0.7)	1.2 (1)	3.1(3)	8.2(9)	∞ <i>100</i>	0/15
LHD-2xDefa	1.4 (0.9)	1.6 (2)	1.4 (1)	2.0 (1)	∞ <i>100</i>	0/15
RAND-2xDef	1.1 (1)	2.2 (1)	1.9 (1)	2.1 (0.9)	∞ <i>100</i>	0/15
RF1-CMAES	1.4 (2)	5.9(6)	6.3(9)	8.8(9)	∞ <i>506</i>	0/15
RF5-CMAES	1.2 (0.9)	44(46)	48(59)	79(74)	∞ <i>506</i>	0/15
Sifeg	2.0 (1)	2.8 (1)	2.3 (1)	3.2(5)	∞ <i>2e4</i>	0/15
Sif	2.0 (2)	2.8 (3)	2.4 (0.7)	4.1(4)	∞ <i>2e4</i>	0/15
Srr	2.0 (1)	2.6 (2)	2.1 (0.7)	2.1 (3)	∞ <i>2e4</i>	0/15

Table 16: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{15} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f15	<i>1.6e+2</i> :1.2	<i>4.0e+1</i> :4.7	<i>2.5e+1</i> :10	<i>1.0e+1</i> :37	<i>2.5e+0</i> :118	5/5
BSifeg	1.4 (0.4)	1.8 (1.0)	2.2 (0.8)	27(5)	111(252)	10/15
BSif	1.4 (1)	151(561)	70(257)	22(140)	118(120)	10/15
BSqi	1.4 (2)	3.3(0.9)	4.0(9)	3.3(4)	62(119)	13/15
BSrr	1.4 (0.4)	6.5(39)	6.4(0.1)	4.2(11)	59(91)	13/15
CMA-CSA	1.3 (0)	1.0 (1)	1.1 (1)	1.1 (0.5)	1.6 (3)	15/15
CMA-MSR	2.1 (0.8)	1.3 (2)	1.3 (2)	0.86 (0.5)	2.2 (0.6)	15/15
CMA-TPA	1.8 (2)	2.2 (5)	1.5 (0.7)	1.5 (1)	3.6(5)	15/15
GP1-CMAES	2.3 (5)	1.6 (1)	1.3 (1.0)	1.3 (1)	3.1(3)	10/15
GP5-CMAES	2.4 (2)	2.1 (2)	1.3 (0.4)	0.75 (0.3)	1.6 (3)	14/15
IPOPCMAv3p	1.4 (0.4)	2.0 (2)	1.4 (0.5)	1.3 (1)	4.8(5)	8/15
LHD-10xDef	2.5 (2)	1.8 (2)	1.6 (2)	2.2 (1)	3.0 (2)	4/15
LHD-2xDefa	1.4 (1)	0.81 (1)	0.94 (0.7)	0.90 (0.8)	1.4 (2)	7/15
RAND-2xDef	2.1 (0.8)	1.6 (2)	1.1 (0.8)	1.4 (1.0)	1.4 (2)	7/15
RF1-CMAES	3.2(6)	1.8 (0.8)	1.5 (1)	1.9 (0.7)	1.8 (2)	12/15
RF5-CMAES	2.0 (1)	1.8 (1)	1.9 (3)	6.1(1)	8.0(6)	6/15
Sifeg	1.4 (2)	1.5 (2)	1.8 (0.7)	1.7 (3)	50(103)	12/15
Sif	1.4 (1)	1.5 (2)	1.9 (3)	1.7 (0.4)	33(42)	13/15
Srr	1.4 (1)	1.5 (1)	1.5 (0.5)	1.6 (3)	35(46)	15/15

Table 17: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{16} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f16	<i>1.0e+2</i> :1.1	<i>2.5e+1</i> :3.9	<i>1.6e+1</i> :6.5	<i>4.0e+0</i> :31	<i>2.5e-1</i> :127	5/5
BSifeg	1.8 (1)	2.9 (5)	2.7 (3)	1.0 (0.8)	12(29)	15/15
BSif	1.8 (0.9)	2.9 (2)	2.9 (2)	1.1 (1)	7.0(12)	15/15
BSqi	1.8 (3)	3.9(1)	2.9 (5)	1.1 (0.9)	17(14)	15/15
BSrr	1.8 (3)	3.4(1)	3.8(4)	1.2 (1)	20(54)	15/15
CMA-CSA	1.8 (2)	3.3(3)	4.1(3)	6.1(9)	3.6(4)	15/15
CMA-MSR	1.5 (0.9)	1.9 (3)	2.3 (2)	6.7(0.9)	8.1(7)	15/15
CMA-TPA	1.8 (2)	1.6 (2)	2.1 (2)	3.7(7)	3.0 (4)	15/15
GP1-CMAES	1.5 (0.7)	1.8 (0.6)	1.5 (1)	2.3 (1)	4.6(7)	8/15
GP5-CMAES	1.6 (2)	2.3 (2)	2.4 (2)	11(15)	6.6(10)	7/15
IPOPCMAv3p	1.2 (0.4)	1.6 (1)	1.7 (2)	1.2 (0.9)	2.5 (4)	11/15
LHD-10xDef	1.5 (0.9)	1.8 (0.8)	1.5 (1)	1.5 (1)	5.8(6)	2/15
LHD-2xDefa	1.5 (0.9)	1.7 (3)	2.0 (2)	1.4 (1)	2.6 (3)	4/15
RAND-2xDef	1.2 (0.4)	1.7 (2)	1.5 (2)	1.0 (1)	1.1 (1.0)	8/15
RF1-CMAES	1.8 (2)	1.7 (1)	1.7 (3)	3.6(5)	5.3(4)	7/15
RF5-CMAES	1.1 (0)	1.3 (1.0)	1.7 (2)	6.1(8)	6.4(9)	6/15
Sifeg	1.8 (3)	2.4 (2)	2.1 (0.7)	0.94 (0.6)	7.4(0.8)	15/15
Sif	1.8 (3)	2.4 (2)	2.0 (1)	0.89 (0.2)	14(42)	15/15
Srr	1.8 (3)	2.3 (2)	2.0 (1)	0.91 (0.4)	12(29)	15/15

Table 18: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{17} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f17	<i>4.0e+1</i> :1.2	<i>1.0e+1</i> :2.7	<i>4.0e+0</i> :10	<i>2.5e+0</i> :28	<i>1.6e-1</i> :119	5/5
BSifeg	1.2 (1)	2.2 (2)	1.9 (2)	6.6(22)	41(41)	14/15
BSif	1.2 (1)	2.2 (2)	2.1 (3)	11(21)	40(48)	15/15
BSqi	1.2 (0.8)	2.2 (2)	1.9 (2)	32(0.8)	21(28)	15/15
BSrr	1.2 (0.6)	2.2 (2)	1.9 (2)	21(0.7)	40(57)	15/15
CMA-CSA	1.3 (0.6)	3.1(10)	9.3(14)	3.5(11)	2.1 (2)	15/15
CMA-MSR	1.7 (1)	20(59)	12(20)	5.8(1)	3.5(3)	15/15
CMA-TPA	1.4 (0.8)	3.6(6)	3.3(6)	1.4 (1)	2.2 (0.3)	15/15
GP1-CMAES	2.2 (3)	3.8(9)	6.6(26)	4.1(10)	4.7(8)	8/15
GP5-CMAES	1.4 (0.6)	7.6(7)	17(29)	8.8(12)	5.7(4)	7/15
IPOPCMAv3p	1.2 (0.4)	2.5 (2)	1.8 (2)	2.2 (0.4)	2.3 (3)	12/15
LHD-10xDefa	1.4 (0.6)	1.8 (2)	1.8 (2)	1.6 (1.0)	4.1(5)	3/15
LHD-2xDefa	1.2 (0.8)	1.5 (2)	1.5 (1)	0.77 (0.6)	3.9(6)	3/15
RAND-2xDef	1.5 (0.6)	1.9 (2)	1.8 (1)	0.79 (0.3)	2.6 (4)	4/15
RF1-CMAES	1.3 (1)	2.6 (4)	5.6(1)	2.3 (0.7)	7.2(10)	6/15
RF5-CMAES	1.4 (0)	50(50)	29(35)	16(15)	61(86)	1/15
Sifeg	1.2 (0.6)	2.2 (2)	1.5 (2)	1.4 (2)	6.8(5)	15/15
Sif	1.2 (0)	2.2 (1)	1.6 (2)	6.4(1)	8.5(11)	15/15
Srr	1.2 (0.2)	2.2 (2)	1.4 (2)	1.9 (4)	3.6(5)	15/15

Table 19: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{18} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f18	<i>4.0e+2:1.2</i>	<i>1.0e+2:3.2</i>	<i>4.0e+1:7.2</i>	<i>6.3e+0:32</i>	<i>1.6e+0:104</i>	5/5
BSifeg	1.2 (0)	1.2 (1)	1.0 (0.6)	10(2)	133(112)	10/15
BSif	1.2 (1)	1.2 (1)	1.0 (0.7)	12(45)	126(193)	10/15
BSqi	1.2 (0.6)	1.2 (0.9)	1.0 (0.6)	16(37)	119(162)	10/15
BSrr	1.2 (0.6)	1.2 (1)	1.0 (0.5)	13(0.4)	98(172)	12/15
CMA-CSA	1(0.4)	2.0 (4)	1.8 (2)	2.7 (6)	3.5(3)	15/15
CMA-MSR	1.3 (1)	1.8 (1)	1.6 (2)	6.1(6)	6.2(6)	15/15
CMA-TPA	0.94 (0)	1.5 (0.5)	1.2 (0.3)	1.2 (1)	3.0 (3)	15/15
GP1-CMAES	2.7 (3)	2.2 (2)	4.2(9)	2.0 (5)	4.3(4)	9/15
GP5-CMAES	14(0.6)	26(1)	17(53)	9.5(16)	6.5(10)	8/15
IPOPCMAv3p	2.4 (8)	1.9 (0.6)	1.7 (0.8)	1.1 (0.9)	2.7 (10)	11/15
LHD-10xDef	1.2 (1)	1.1 (1)	1.2 (0.8)	1.8 (1)	2.3 (2)	6/15
LHD-2xDefa	1.3 (1)	1.3 (0.7)	0.80 (0.5)	1.0 (0.9)	1.1 (0.9)	9/15
RAND-2xDef	1.2 (0.8)	1.1 (1)	0.79 (0.8)	0.96 (0.6)	1.7 (2)	7/15
RF1-CMAES	1.2 (0.8)	1.9 (2)	1.1 (1)	1.3 (0.6)	8.0(2)	6/15
RF5-CMAES	1.6 (2)	3.9(8)	6.4(2)	5.0(12)	9.0(15)	6/15
Sifeg	1.2 (0.6)	1.1 (0.8)	1.0 (0.7)	24(2)	52(98)	14/15
Sif	1.2 (1)	1.1 (1)	1.0 (0.8)	19(1)	119(97)	11/15
Srr	1.2 (1)	1.1 (0.8)	1.0 (0.7)	40(255)	129(97)	10/15

Table 20: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{19} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f19	<i>1.6e-1:23</i>	<i>1.0e-1:26</i>	<i>6.3e-2:38</i>	<i>4.0e-2:40</i>	<i>1.0e-2:216</i>	15/15
BSifeg	4.0 (3)	4.0 (3)	2.8 (2)	3.7 (4)	15(10)	15/15
BSif	4.2(3)	4.2(4)	3.0 (3)	3.7 (3)	33(77)	12/15
BSqi	3.6 (2)	3.7 (2)	2.6 (2)	4.2(5)	35(31)	14/15
BSrr	3.5 (2)	3.6 (2)	2.6 (3)	3.7 (4)	28(58)	13/15
CMA-CSA	13(4)	21(45)	18(20)	26(22)	13(8)	15/15
CMA-MSR	8.0(11)	12(10)	16(23)	26(43)	13(14)	15/15
CMA-TPA	7.0(3)	6.2(6)	14(15)	18(23)	6.2 (8)	15/15
GP1-CMAES	8.8(9)	11(15)	12(15)	12(17)	16(21)	2/15
GP5-CMAES	12(11)	17(20)	13(13)	15(14)	16(9)	2/15
IPOPCMAv3p	7.9(8)	14(24)	11(16)	12(8)	34(37)	1/15
LHD-10xDef	8.9(12)	18(15)	38(99)	36(28)	6.9 (11)	1/15
LHD-2xDefa	7.5(7)	8.3(18)	12(18)	37(45)	∞ 100	0/15
RAND-2xDef	5.6(6)	16(17)	11(13)	11(15)	6.6 (13)	1/15
RF1-CMAES	17(34)	19(11)	17(17)	28(27)	10(4)	3/15
RF5-CMAES	12(31)	12(10)	15(17)	20(40)	∞ 504	0/15
Sifeg	7.3(2)	6.8(6)	6.5(6)	7.2(5)	31(22)	14/15
Sif	6.5(5)	6.2(4)	6.7(5)	7.6(4)	25(22)	15/15
Srr	5.0(3)	5.1(4)	5.1(3)	6.3(4)	28(57)	14/15

Table 21: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{20} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f20	<i>4.0e+3</i> :1.9	<i>2.5e+2</i> :2.8	<i>4.0e+0</i> :6.3	<i>2.5e+0</i> :21	<i>6.3e-1</i> :139	15/15
BSifeg	2.1 (2)	14(4)	17(32)	10(22)	28(47)	15/15
BSif	2.1 (2)	13(3)	19(32)	8.0(3)	62(71)	12/15
BSqi	2.1 (2)	12(1)	19(24)	8.1(14)	16(40)	15/15
BSrr	2.1 (2)	14(5)	16(1)	8.3(9)	18(17)	15/15
CMA-CSA	2.4 (1)	3.0 (3)	2.4 (2)	1.6 (2)	6.0 (7)	15/15
CMA-MSR	1.7 (2)	1.9 (2)	2.6 (4)	2.2 (0.9)	13(19)	15/15
CMA-TPA	3.2(3)	4.2(2)	4.0(5)	2.1 (2)	11(13)	15/15
GP1-CMAES	1.9 (3)	2.3 (2)	1.6 (0.9)	1.6 (0.8)	4.3 (4)	8/15
GP5-CMAES	2.0 (3)	2.0 (1)	2.2 (2)	2.0 (0.3)	8.1(8)	5/15
IPOPCMAv3p	2.3 (2)	2.5 (3)	2.3 (3)	1.5 (2)	16(21)	3/15
LHD-10xDefa	1.8 (2)	4.0(3)	3.3(2)	2.1 (2)	5.1 (4)	2/15
LHD-2xDefa	1.8 (2)	2.0 (1)	2.1 (0.8)	1.7 (2)	11(14)	1/15
RAND-2xDef	1.3 (0.7)	2.8 (2)	2.5 (1)	1.9 (0.4)	11(10)	1/15
RF1-CMAES	2.1 (2)	2.7 (3)	3.2(4)	3.5(2)	16(11)	3/15
RF5-CMAES	2.6 (3)	21(8)	27(23)	12(18)	26(33)	2/15
Sifeg	2.1 (1)	3.6(3)	3.6(0.9)	1.8 (2)	17(12)	15/15
Sif	2.1 (2)	3.7(2)	3.7(4)	1.9 (1)	20(28)	15/15
Srr	2.1 (2)	3.5(3)	3.0(2)	1.8 (2)	16(71)	15/15

Table 22: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{21} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f21	<i>1.0e+1:1.7</i>	<i>6.3e+0:2.6</i>	<i>2.5e+0:7.9</i>	<i>1.6e+0:30</i>	<i>4.0e-1:105</i>	15/15
BSifeg	2.1 (1)	3.0 (2)	3.0(6)	2.2 (4)	42(163)	13/15
BSif	2.1 (2)	2.9 (2)	3.0 (2)	2.9 (5)	62(180)	12/15
BSqi	2.1 (1)	2.5 (2)	3.4(8)	2.4 (4)	53(124)	13/15
BSrr	2.1 (2)	2.9 (2)	3.4(4)	2.3 (4)	62(61)	12/15
CMA-CSA	1.5 (1)	2.4 (4)	5.2(13)	4.0(14)	4.5(8)	15/15
CMA-MSR	1.9 (1)	2.6 (1)	1.7 (2)	12(35)	156(985)	14/15
CMA-TPA	1.5 (2)	2.7 (4)	2.5 (2)	5.2(12)	37(165)	15/15
GP1-CMAES	1.8 (2)	2.1 (1)	1.6 (2)	10(12)	6.2(14)	7/15
GP5-CMAES	1.5 (0.6)	2.5 (2)	3.8(1)	6.4(6)	8.9(8)	6/15
IPOPCMAv3p	1.6 (0.9)	2.0 (3)	1.9 (0.9)	3.4(6)	3.7(9)	9/15
LHD-10xDef	1.4 (2)	1.8 (2)	1.2 (2)	1.2 (1)	0.74 (0.7)	12/15
LHD-2xDefa	1.4 (2)	1.7 (2)	1.3 (0.8)	0.75 (0.5)	0.45 (0.5)	14/15
RAND-2xDef	1.5 (0.9)	2.8 (3)	1.5 (0.9)	0.90 (0.6)	0.49 (0.2)	14/15
RF1-CMAES	1.2 (0.6)	3.0 (4)	7.5(32)	13(26)	20(37)	3/15
RF5-CMAES	1.7 (2)	2.1 (3)	1.2 (0.9)	4.4(4)	11(6)	5/15
Sifeg	2.1 (1)	2.3 (2)	1.3 (0.7)	32(2)	88(96)	12/15
Sif	2.1 (1)	2.3 (2)	1.3 (0.7)	49(4)	98(79)	11/15
Srr	2.1 (1)	2.3 (2)	1.3 (0.8)	21(1)	107(79)	11/15

Table 23: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best 2009}}$ on f_{22} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best 2009}}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
f22	<i>4.0e+1</i> :1.3	<i>1.6e+1</i> :3.2	<i>6.3e+0</i> :9.3	<i>1.6e+0</i> :25	<i>1.0e-1</i> :168	15/15
BSifeg	1.9 (3)	1.9 (2)	3.9(2)	18(12)	94(77)	9/15
BSif	1.9 (3)	1.9 (2)	3.6(7)	37(107)	80(115)	10/15
BSqi	1.9 (2)	1.9 (2)	4.8(5)	14(5)	91(161)	9/15
BSrr	1.9 (2)	1.9 (2)	5.5(9)	26(38)	85(90)	10/15
CMA-CSA	1.8 (2)	1.9 (3)	5.6(2)	17(34)	14(5)	15/15
CMA-MSR	1.9 (2)	2.2 (3)	7.3(22)	22(11)	18(52)	15/15
CMA-TPA	1.7 (1)	1.4 (1)	1.9 (2)	14(24)	7.6(5)	15/15
GP1-CMAES	1.3 (0.4)	1.1 (1)	10(14)	6.1(15)	6.8(8)	5/15
GP5-CMAES	1.6 (2)	1.4 (1)	3.6(14)	4.1(6)	2.1 (2)	11/15
IPOPCMAv3p	1.7 (0.8)	1.3 (1)	2.3 (4)	4.8(16)	4.2(6)	7/15
LHD-10xDef	1.3 (1.0)	1.2 (0.9)	1.3 (1)	1.8 (1)	0.81 (0.7)	9/15
LHD-2xDefa	1.3 (1)	1.9 (2)	1.3 (2)	1.5 (1)	1.9 (2)	4/15
RAND-2xDef	1.3 (0.6)	1.3 (1)	1.2 (0.7)	1.3 (1)	0.58 (0.8)	10/15
RF1-CMAES	1.6 (0.8)	1.3 (2)	6.3(4)	12(15)	12(8)	3/15
RF5-CMAES	1.6 (1.0)	1.6 (0.9)	8.5(26)	13(20)	12(11)	3/15
Sifeg	2.0 (4)	2.1 (3)	2.3 (0.5)	8.9(22)	84(96)	10/15
Sif	2.0 (0)	2.3 (1)	2.3 (2)	10(41)	103(119)	9/15
Srr	2.0 (2)	2.0 (2)	2.4 (4)	27(9)	89(149)	11/15

Table 24: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{23} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
<i>f23</i>	<i>4.0e+1:1.5</i>	<i>2.5e+1:2.6</i>	<i>1.0e+1:7.8</i>	<i>4.0e+0:55</i>	<i>2.5e+0:103</i>	5/5
BSifeg	2.0 (3)	1.6 (2)	1.9 (1)	1.3 (2)	0.91 (0.7)	15/15
BSif	2.0 (3)	1.6 (2)	1.9 (2)	1.3 (2)	1.0 (0.9)	15/15
BSqi	2.0 (2)	1.6 (2)	1.8 (2)	1.6 (1)	1.3 (1)	15/15
BSrr	2.0 (3)	1.6 (1)	2.1 (1)	1.5 (1.0)	1.1 (0.8)	15/15
CMA-CSA	1.3 (2)	1.1 (0.6)	3.2(2)	3.0 (2)	2.8 (6)	15/15
CMA-MSR	1.7 (1.0)	2.3 (3)	2.2 (3)	6.3(6)	4.8(6)	15/15
CMA-TPA	1.1 (0.2)	1.2 (1)	1.9 (3)	3.2(4)	4.8(2)	15/15
GP1-CMAES	1.2 (0.8)	1.6 (2)	2.2 (3)	3.0(3)	4.4(8)	10/15
GP5-CMAES	1.7 (2)	1.7 (1.0)	2.0 (2)	2.9 (5)	2.2 (2)	13/15
IPOPCMAv3p	1.3 (0.7)	1.0 (0.6)	0.99 (2)	1.8 (1)	2.8 (3)	13/15
LHD-10xDef	1.6 (1.0)	1.1 (0.7)	1.5 (1.0)	1.7 (2)	1.8 (1)	6/15
LHD-2xDefa	1.8 (1)	2.1 (3)	2.4 (3)	1.6 (2)	4.5(7)	3/15
RAND-2xDef	1.0 (1.0)	1.4 (1)	2.0 (2)	1.5 (0.9)	4.2(5)	3/15
RF1-CMAES	1.7 (1)	1.4 (1)	1.8 (3)	3.5(4)	2.4 (1)	14/15
RF5-CMAES	1.8 (1)	1.4 (1)	1.5 (2)	1.8 (3)	1.9 (2)	14/15
Sifeg	1.9 (3)	1.5 (1)	1.9 (1)	1.9 (2)	2.2 (2)	15/15
Sif	1.9 (3)	1.5 (2)	1.8 (2)	1.8 (2)	2.2 (2)	15/15
Srr	1.9 (2)	1.5 (1)	1.9 (1)	1.9 (2)	2.3 (3)	15/15

Table 25: 02-D, running time excess $\text{ERT}/\text{ERT}_{\text{best } 2009}$ on f_{24} for given run-length based budgets (0.5D, 1.2D, 3D, 10D, and 50D function evaluations). The ERT and in braces, as dispersion measure, the half difference between 90 and 10%-tile of bootstrapped run lengths appear for each algorithm and run-length based target, the corresponding $\text{ERT}_{\text{best } 2009}$ (preceded by the target Δf -value in *italics*) in the first row. #succ is the number of trials that reached the target value of the last column. The median number of conducted function evaluations is additionally given in *italics*, if the target in the last column was never reached. Entries with succeeding star are statistically significantly better (according to the rank-sum test) compared to all other algorithms in the table, with $p = 0.05$ or $p = 10^{-k}$ when the number k following the star is larger than 1, with Bonferroni correction by the number of instances.

#FEs/D	0.5	1.2	3	10	50	#succ
<i>f24</i>	<i>4.0e+1:1.1</i>	<i>2.5e+1:2.7</i>	<i>1.6e+1:7.7</i>	<i>6.3e+0:44</i>	<i>2.5e+0:275</i>	5/5
BSifeg	2.1 (3)	2.3 (2)	1.8 (3)	2.4 (1)	6.3(1.0)	14/15
BSif	2.1 (4)	2.3 (2)	1.6 (2)	2.3 (2)	8.3(28)	15/15
BSqi	2.1 (0.9)	2.3 (0.8)	2.9 (0.5)	2.9 (3)	11(29)	14/15
BSrr	2.1 (4)	2.3 (2)	1.9 (6)	2.6 (2)	6.4(18)	14/15
CMA-CSA	2.3 (3)	2.2 (2)	1.8 (1)	1.2 (1)	3.3(6)	15/15
CMA-MSR	3.1(4)	2.4 (2)	1.6 (2)	3.8(0.6)	5.6(7)	15/15
CMA-TPA	1.6 (0.5)	2.2 (3)	1.3 (1)	2.3 (5)	4.1(3)	15/15
GP1-CMAES	1.6 (1)	1.7 (2)	1.9 (3)	1.8 (6)	3.3 (2)	7/15
GP5-CMAES	1.8 (0)	1.9 (2)	1.4 (3)	3.4(6)	2.9 (4)	7/15
IPOPCMAv3p	1.6 (0.9)	2.1 (4)	1.5 (1)	1.2 (1)	3.9(6)	6/15
LHD-10xDef	1.9 (1)	1.4 (1)	1.5 (2)	1.5 (1)	∞ 100	0/15
LHD-2xDefa	1.8 (1)	1.6 (0.8)	2.0 (3)	2.6 (4)	∞ 100	0/15
RAND-2xDef	1.2 (0.9)	2.4 (2)	1.8 (1)	1.9 (3)	2.5 (4)	2/15
RF1-CMAES	1.4 (0.2)	1.8 (3)	1.3 (1)	0.80 (0.6)	5.3(7)	4/15
RF5-CMAES	1.8 (2)	1.2 (0.5)	1.2 (1)	2.5 (3)	13(20)	2/15
Sifeg	2.1 (3)	2.4 (2)	1.4 (0.6)	2.3 (0.5)	4.9(2)	15/15
Sif	2.1 (3)	2.4 (3)	1.4 (0.6)	2.1 (2)	5.1(13)	15/15
Srr	2.1 (2)	2.4 (2)	1.4 (0.8)	2.1 (1)	7.4(4)	15/15

References

- [1] Asma Atamna. Benchmarking IPOP-CMA-ES-TPA and IPOP-CMA-ES-MSR on the BBOB noiseless testbed. In Laredo et al. [8], pages 1135–1142.
- [2] Anne Auger, Steffen Finck, Nikolaus Hansen, and Raymond Ros. BBOB 2009: Comparison tables of all algorithms on all noiseless functions. Technical Report RT-0383, INRIA, April 2010.
- [3] Lukás Bajer, Zbynek Pitra, and Martin Holena. Benchmarking gaussian processes and random forests surrogate models on the BBOB noiseless testbed. In Laredo et al. [8], pages 1143–1150.
- [4] Dimo Brockhoff, Bernd Bischl, and Tobias Wagner. The impact of initial designs on the performance of matsumoto on the noiseless BBOB-2015 testbed: A preliminary study. In Laredo et al. [8], pages 1159–1166.
- [5] S. Finck, N. Hansen, R. Ros, and A. Auger. Real-parameter black-box optimization benchmarking 2009: Presentation of the noiseless functions. Technical Report 2009/20, Research Center PPE, 2009. Updated February 2010.
- [6] N. Hansen, A. Auger, S. Finck, and R. Ros. Real-parameter black-box optimization benchmarking 2012: Experimental setup. Technical report, INRIA, 2012.
- [7] N. Hansen, S. Finck, R. Ros, and A. Auger. Real-parameter black-box optimization benchmarking 2009: Noiseless functions definitions. Technical Report RR-6829, INRIA, 2009. Updated February 2010.
- [8] Juan Luis Jiménez Laredo, Sara Silva, and Anna Isabel Esparcia-Alcázar, editors. *Genetic and Evolutionary Computation Conference, GECCO 2015, Madrid, Spain, July 11-15, 2015, Companion Material Proceedings*. ACM, 2015.
- [9] Petr Posík and Petr Baudis. Dimension selection in axis-parallel brent-step method for black-box optimization of separable continuous functions. In Laredo et al. [8], pages 1151–1158.